

# SUBJECT INDEX

## A

- Abies* spp.  
fungal speciation and, 290  
sudden oak death  
management and, 310
- abi* genes  
signal crosstalk and  
induced resistance, 563
- Abiotic stress  
signal crosstalk and  
induced resistance,  
545–67
- Absciscic acid  
signal crosstalk and  
induced resistance, 545,  
562–65
- Abutilon mosaic virus  
geminiviruses and, 362
- acd2* gene  
signal crosstalk and  
induced resistance, 548
- Acer* spp.  
sudden oak death  
management and, 310
- Acibenzolar  
commercialization and  
implementation of  
biocontrol, 351  
signal crosstalk and  
induced resistance, 556,  
558, 563, 566–67
- Acidovorax avenae*  
global food security and,  
96
- ACIK1 protein kinase  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 425–26
- act1* gene  
fungal speciation and, 292
- Acyl-hydrolases  
lipids, lipases, and  
lipid-modifying enzymes  
in plant disease  
resistance, 244–46
- Adaptation  
fungal speciation and,  
279–302
- Adaptive radiation  
*Phytophthora infestans* at  
center of origin and,  
184–85
- Aegilops ventricosa*  
global food security and,  
103
- Aesculus* spp.  
sudden oak death  
management and, 310
- Aflatoxin  
secondary metabolism in  
filamentous fungi and,  
438–39, 443–44, 447
- afl* genes  
secondary metabolism in  
filamentous fungi and,  
440
- afp* genes  
global food security and,  
106
- African cassava mosaic virus  
global food security and,  
86–87, 107
- Agarics  
fungal speciation and,  
279–302
- Aggregate sheath spot  
history of research, 10, 14
- Agricultural burning  
history of research, 1, 6–7,  
13–15
- Agricultural experiment  
station  
history of research, 18
- Agrobacterium tumefaciens*  
alfamovirus and ilarvirus  
replication, 51  
commercialization and  
implementation of  
biocontrol, 338–39, 353  
global food security and,  
105  
plant rhabdoviruses and,  
654  
RNAi and, 192  
RNA silencing in  
productive virus  
infections and, 531
- Alfalfa mosaic virus  
alfamovirus and ilarvirus  
replication, 39–57  
RNAi and, 195
- Alfamovirus and ilarvirus  
replication  
coat protein in  
alfalfa mosaic virus  
RNA, 45–50  
AMV-ilarvirus chimera,  
52  
coat protein, 44–48  
coordinate replication of  
RNAs 1 and 2, 51–52  
encapsidation, 52–54  
genome structure, 41–44  
genomic plus-strand  
RNA synthesis, 50–51  
introduction, 39–41  
minus-strand DNA  
synthesis, 48–50  
plus-strand DNA  
synthesis, 50–51  
replication cycle, 54–57  
subgenomic plus-strand  
RNA synthesis, 50–51

- trans-acting functions of  
P1 and P2, 51–52  
viral movement in  
plants, 52–54  
viral RNA replication,  
48–52
- alfR* gene  
secondary metabolism in  
filamentous fungi and,  
444–45
- Algae  
RNAi and, 200
- Allomyces* spp.  
fungal speciation and, 287
- Allopatric speciation  
fungal speciation and,  
279–82, 284–302
- Alnus* spp.  
fungal speciation and, 291
- Alternaria* spp.  
commercialization and  
implementation of  
biocontrol, 340  
defense against  
biotrophs/necrotrophs  
and, 205, 216–17  
global food security and,  
89, 91, 99  
health management for  
ornamental plants and,  
146–47  
lipids, lipases, and  
lipid-modifying enzymes  
in plant disease  
resistance, 231  
signal crosstalk and  
induced resistance,  
550–51
- Ampelomyces quisqualis*  
commercialization and  
implementation of  
biocontrol, 350
- Anagenesis  
fungal speciation and, 280
- Ananas comosus*  
plant rhabdoviruses and,  
629
- Aneuploidy  
fungal speciation and, 287,  
296–97
- Annona muricata*  
plant rhabdoviruses and,  
629
- Antirrhinum majus*  
health management for  
ornamental plants and,  
146
- AP2 gene  
signal crosstalk and  
induced resistance, 559
- Aphids  
hemipterans as plant  
pathogens and, 492–93
- Apium graveolens*  
plant rhabdoviruses and,  
626
- Apoptosis  
defense against  
biotrophs/necrotrophs  
and, 205  
signal crosstalk and  
induced resistance, 545,  
548, 564–65
- Arabidopsis thaliana*  
defense against  
biotrophs/necrotrophs  
and, 205, 212, 214  
fungal speciation and, 295  
geminiviruses and, 375,  
379  
hemipterans as plant  
pathogens and, 499–500,  
502–3, 510  
lipids, lipases, and  
lipid-modifying enzymes  
in plant disease  
resistance, 229–47  
RNA silencing in  
productive virus  
infections and, 526,  
533–34  
signal crosstalk and  
induced resistance,  
548–66
- virus resistance genes and,  
581, 583, 588, 590–91,  
593, 595–97, 600–1, 604
- Arachis hypogaea*  
plant rhabdoviruses and,  
628
- Arbutus* spp.  
sudden oak death  
management and, 310
- Arctostaphylos* spp.  
sudden oak death  
management and, 310
- areA* gene  
secondary metabolism in  
filamentous fungi and,  
441
- Armillaria* spp.  
fungal speciation and, 282,  
300
- Arthrobotrys dactyloides*  
commercialization and  
implementation of  
biocontrol, 348
- Artificial selection  
fungal speciation and, 281
- Artocarpus integrifolia*  
virus resistance genes and,  
595
- Asclepias currassavicia*  
plant rhabdoviruses and,  
626
- Ascochyta* spp.  
global food security and,  
87, 98  
history of research, 9
- Asexual reproduction  
fungal speciation and, 286,  
292–93
- Ashbya gossypii*  
fungal speciation and,  
295–96
- Aspergillus* spp.  
commercialization and  
implementation of  
biocontrol, 339–40  
fungal speciation and,  
288

- global food security and, 106  
 secondary metabolism in filamentous fungi and, 437  
 Asymmetric pathways  
   viroids and viroid-host interactions, 122-23  
*Atropa belladonna*  
   plant rhabdoviruses and, 626  
 Autofertilization  
   fungal speciation and, 297-98  
*Avena sativa*  
   global food security and, 88  
*avr* genes  
   cotton resistance to  
   *Xanthomonas campestris* pv. *malvacearum* and, 63-66, 75  
   global food security and, 98-100  
   hemipterans as plant pathogens and, 494, 497-98  
   signal crosstalk and induced resistance, 547, 560  
   tomato-*Cladosporium fulvum* molecular interactions and, 397-99, 418-22  
   virus resistance genes and, 603-6  
*Avsunviroidae*  
   viroids and viroid-host interactions, 117-33  
 Azoxystrobin  
   rice blast disease and, 12
- B**  
 2b protein  
   RNA silencing in productive virus infections and, 534  
*Bacillus* spp.  
   commercialization and implementation of  
   biocontrol, 339-41, 346, 348-50  
   global food security and, 107  
   history of research, 35  
   signal crosstalk and induced resistance, 549, 551  
 Bacterial blight  
   cotton resistance to  
   *Xanthomonas campestris* pv. *malvacearum* and, 63-76  
 Bactericides  
   commercialization and implementation of  
   biocontrol, 351  
 Bakanae  
   history of research, 12-13  
 Baker KF, 25-37  
 Barley-*Rhynchosporium secalis* pathosystem  
   history of research, 1, 15-16  
 Barley yellow dwarf viruses  
   global food security and, 86-91  
*Begomovirus* genus  
   geminiviruses and, 365-69  
 Behavioral cues  
   hemipterans as plant pathogens and, 506-10  
   tospovirus-thrips interactions and, 466  
 Below-ground signals  
   hemipterans as plant pathogens and, 510  
*Bemisia* spp.  
   hemipterans as plant pathogens and, 493, 495, 498, 507  
   signal crosstalk and induced resistance, 556  
*Beta vulgaris*  
   plant rhabdoviruses and, 626  
*B* genes  
   cotton resistance to  
   *Xanthomonas campestris* pv. *malvacearum* and, 67-69, 71-74  
 Biocontrol  
   commercialization and implementation of  
   chemical control, 350-51  
   choice of problem, 338, 344  
   combinations, 350-51  
   commercialization, 338-44  
   commercial testing, 350, 352  
   cultural practices, 351  
   delivery, 348-49  
   development, 338-44  
   ecology, 345-46  
   environmental parameters, 345  
   field testing, 346-47  
   formulation, 347-48  
   future research, 353  
   integrated systems, 351-52  
   introduction, 337-38  
   mechanisms, 345  
   pesticides, 350-51  
   physical practices, 351  
   production of biocontrol agents, 347  
   registration, 349-50  
   screening, 344-45  
   semicommercial testing, 352  
   technology transfer to growers, 350-52  
   health management for ornamental plants and, 141, 152-57  
   history of research, 25, 35-37

- Biological indexing  
*Prunus* and *Vitis* testing  
 and certification, 261–66
- Biosynthetic gene clusters  
 secondary metabolism in  
 filamentous fungi and,  
 438–40
- Biotechnology  
 geminiviruses and, 361  
 global food security and,  
 85, 105–7  
 health management for  
 ornamental plants and,  
 141  
 plant rhabdoviruses and,  
 654
- Biotic stress  
 signal crosstalk and  
 induced resistance,  
 545–67
- Biotrophic/necrotrophic  
 pathogens  
 contrasting mechanisms of  
 defense against  
*Alternaria brassicicola*,  
 216–17  
 biotrophs, 212–16  
*Botrytis cinerea*, 217–19  
 classification, 206–7  
 conclusions, 219  
*Erysiphe*, 214  
 ethylene-dependent  
 signaling, 210–12  
 gene-for-gene resistance,  
 208–9  
 introduction, 205–6  
 jasmonic acid-dependent  
 signaling, 210–12  
 necrotrophs, 216–19  
*Peronospora parasitica*,  
 212–14  
 plant defense responses,  
 207–12  
*Pseudomonas syringae*,  
 215–16  
 salicylic acid-dependent  
 signaling, 209–12
- Bipartite begomoviruses  
 geminiviruses and, 380–82
- Blast  
 history of research, 11–12,  
 14
- Blumeria graminis*  
 global food security and,  
 87, 89–91  
 lipids, lipases, and  
 lipid-modifying enzymes  
 in plant disease  
 resistance, 231
- Botryodiplodia theobromae*  
 global food security and,  
 91
- Botrytis cinerea*  
 commercialization and  
 implementation of  
 biocontrol, 343, 346,  
 351–52  
 defense against  
 biotrophs/necrotrophs  
 and, 205, 217–19  
 health management for  
 ornamental plants and,  
 145, 150–52  
 signal crosstalk and  
 induced resistance,  
 551–52
- Brassica* spp.  
 hemipterans as plant  
 pathogens and, 505–6,  
 509  
 RNAi and, 198  
 virus resistance genes and,  
 604
- Breeding  
 virus resistance genes and,  
 581, 606–7
- brlA* gene  
 secondary metabolism in  
 filamentous fungi and,  
 443
- Bromoviruses  
 alfamovirus and ilarvirus  
 replication, 39–57
- Bsl* gene  
 global food security and,  
 100
- Bt* genes  
 global food security and,  
 107
- Bunyaviridae*  
 tospovirus-thrips  
 interactions and, 459–80
- Burkholderia plantarii*  
 global food security and,  
 106
- C**
- C<sub>6</sub> volatiles  
 hemipterans as plant  
 pathogens and, 504–5
- Caenorhabditis elegans*  
 RNAi and, 200
- Cajanus cajan*  
 global food security and,  
 93  
 plant rhabdoviruses and,  
 628
- Calendar sprays  
 history of research, 19
- Callistephus chinensis*  
 plant rhabdoviruses and,  
 626
- Calluna* spp.  
 sudden oak death  
 management and, 310
- Camellia* spp.  
 sudden oak death  
 management and, 310
- Candida* spp.  
 commercialization and  
 implementation of  
 biocontrol, 341, 348,  
 351–52  
 fungal speciation and, 295
- Capparales  
 hemipterans as plant  
 pathogens and, 509–10
- Capparis spinosa*  
 plant rhabdoviruses and,  
 626
- Capsicum* spp.

- virus resistance genes and, 585, 597, 599, 602, 604
- Carica papaya*
  - global food security and, 106
  - plant rhabdoviruses and, 628
- Castanea* spp.
  - sudden oak death management and, 310
- Catalytic RNAs
  - viroids and viroid-host interactions, 117
- Catastrophic plant disease
  - global food security and, 83–109
- Cauliflower mosaic virus
  - RNAi and, 198
- cdn* genes
  - cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 74
- Cell cycle
  - geminiviruses and, 373–74
- Cell-to-cell movement
  - viroids and viroid-host interactions, 127
  - virus resistance genes and, 581, 592–94
- Central purpose/central confidence/central decency
  - overview, 21–22
- Cephalosporium* spp.
  - secondary metabolism in filamentous fungi and, 439
- Ceramide
  - signal crosstalk and induced resistance, 565
- Ceratobasidium oryzae sativae*
  - aggregate sheath spot and, 10
- Ceratocystis fimbriata*
  - global food security and, 91
- Cercospora kikuchii*
  - global food security and, 90
- Cerebrosides
  - lipids, lipases, and lipid-modifying enzymes in plant disease resistance, 234–35
- Certification
  - Prunus* and *Vitis* testing and certification, 261–72
- cev1* gene
  - signal crosstalk and induced resistance, 554, 558
- Cf* genes
  - global food security and, 99–100, 105
  - tomato-*Cladosporium fulvum* molecular interactions and, 399–425
- Chaetosiphon* spp.
  - plant rhabdoviruses and, 632
- Chemical control
  - commercialization and implementation of biocontrol, 338, 350–51, 353
  - health management for ornamental plants and, 141, 157–60
  - stem rot and, 9–10
- Chemical defenses
  - hemipterans as plant pathogens and, 493–94
- Chenopodium* spp.
  - Prunus* and *Vitis* testing and certification, 263, 265
- Chimera
  - alfamovirus and ilarvirus replication, 52
- Chondrilla juncea*
  - plant rhabdoviruses and, 626
- Chromosome 1
  - short arm of tomato-*Cladosporium fulvum* molecular interactions and, 402
- Chromosome doubling
  - fungal speciation and, 297–98
- Chrysanthemum* spp.
  - plant rhabdoviruses and, 626
- Circular RNA templates
  - viroids and viroid-host interactions, 122
- Citrus* spp.
  - plant rhabdoviruses and, 626
- Cladogenesis
  - fungal speciation and, 280
- Cladosporium fulvum*
  - global food security and, 89, 98–99, 105
  - tomato-*Cladosporium fulvum* molecular interactions and, 395–427
- Classification
  - plant rhabdoviruses and, 633–37
- Clavibacter* spp.
  - global food security and, 88–90
- Clean stock
  - health management for ornamental plants and, 141, 145–46
- Clintonia* spp.
  - sudden oak death management and, 310
- Cloning
  - tomato-*Cladosporium fulvum* molecular interactions and, 398–99
- Clonostachys rosea*
  - commercialization and implementation of biocontrol, 346, 352
- Close cohabitation in host
  - fungal speciation and, 292–93

- Closteroviridae*  
*Prunus* and *Vitis* testing  
 and certification,  
 263–64
- Coat protein  
 alfamovirus and ilarvirus  
 replication, 39–57  
 RNAi and, 192
- Cochliobolus* spp.  
 global food security and,  
 84, 87–91, 104
- Codiaeum variegatum*  
 plant rhabdoviruses and,  
 627
- Coelomycetes*  
 history of research, 9
- Coenocytes  
 fungal speciation and,  
 279–302
- Coevolution  
 history of research, 1,  
 15–16  
*Phytophthora infestans* at  
 center of origin and,  
 171–85  
 tospovirus-thrips  
 interactions and, 464–65  
 virus resistance genes and,  
 581, 603–6
- Coffea arabica*  
 plant rhabdoviruses and,  
 626
- coi* genes  
 signal crosstalk and  
 induced resistance, 552,  
 560
- Colacasia esculenta*  
 plant rhabdoviruses and,  
 625–26
- Colinearity  
 fungal speciation and,  
 296–97
- Colletotrichum*  
*gloeosporioides*  
 commercialization and  
 implementation of  
 biocontrol, 342
- global food security and,  
 87, 90–91, 93, 98
- hemipterans as plant  
 pathogens and, 493
- lipids, lipases, and  
 lipid-modifying enzymes  
 in plant disease  
 resistance, 231
- Commercialization  
 biocontrol and, 337–53
- Comparative genomics  
 fungal speciation and,  
 294–96
- Conidiation-specific  
 functions  
 secondary metabolism in  
 filamentous fungi and,  
 446–47
- Coniothyrium minitans*  
 commercialization and  
 implementation of  
 biocontrol, 341, 346
- Container-grown plants  
 history of research, 32–33
- Cooperative extension  
 continuum  
 history of research, 18
- Coordinate replication  
 alfamovirus and ilarvirus  
 replication, 51–52
- Copper hydroxide  
 commercialization and  
 implementation of  
 biocontrol, 351
- Coriandrum sativum*  
 plant rhabdoviruses and,  
 626
- Corticium rolfsii*  
 global food security and,  
 91
- Corylus* spp.  
 sudden oak death  
 management and, 310
- Corynebacterium fascians*  
 health management for  
 ornamental plants and,  
 146
- Cosuppression  
 RNAi and, 193, 195–97
- Cotesia rubecula*  
 signal crosstalk and  
 induced resistance, 557
- CP protein  
 RNA silencing in  
 productive virus  
 infections and, 533–34
- cpr* genes  
 hemipterans as plant  
 pathogens and, 503  
 signal crosstalk and  
 induced resistance, 547
- Crazy seedling disease  
 history of research, 12–13
- creA* gene  
 secondary metabolism in  
 filamentous fungi and,  
 441
- Crinipellis perniciosa*  
 commercialization and  
 implementation of  
 biocontrol, 345
- Crops  
 commercialization and  
 implementation of  
 biocontrol, 337–53  
 cotton resistance to  
*Xanthomonas campestris*  
 pv. *malvacearum* and,  
 63–76  
 global food security and,  
 83–109  
 health management for  
 ornamental plants and,  
 141–61  
 history of research, 18  
 plant rhabdoviruses and,  
 630–32, 653  
*Prunus* and *Vitis* testing  
 and certification, 261–72  
 signal crosstalk and  
 induced resistance,  
 545–67
- Cross-protection  
 RNA silencing in

- productive virus infections and, 523, 536–37
- viroids and viroid-host interactions, 117, 121–22
- Crosstalk
- induced resistance and antagonisms, 557–58
  - Arabidopsis* model, 549–53
  - arguments, 557–58
  - cellular redox, 548–49
  - circuit makers/breakers, 558–60
  - collaboration, 556–57
  - conclusions, 566–67
  - consensus, 556–57
  - elicitors, 554–56
  - expression profiling, 561–62
  - insect herbivores, 553–56
  - introduction, 545–46
  - mixed signals, 556–58
  - reactive oxygen species, 564
  - signal signatures, 561–62
  - susceptibility, 562–65
  - systemic acquired resistance, 547–49
  - systemic signaling, 546–65
  - wound signals, 554–56
- Crown gall
- commercialization and implementation of biocontrol, 338–39
- Cryptococcus* spp.
- commercialization and implementation of biocontrol, 351–52
- C-terminus
- Cf-9*
  - tomato-*Cladosporium fulvum* molecular interactions and, 421
- Cucumber mosaic virus
- commercialization and implementation of biocontrol, 346–47
  - RNAi and, 195
  - virus resistance genes and, 600–1
- Cucumis* spp.
- hemipterans as plant pathogens and, 500
  - plant rhabdoviruses and, 627–28
  - Prunus* and *Vitis* testing and certification, 263, 265
- Cucumoviruses
- alfamovirus and ilarvirus replication, 39–57
- Culex tarsalis*
- stem rot and, 10
- Culture indexing
- health management for ornamental plants and, 145–46
- Curtovirus* genus
- geminiviruses and, 369–70
- Cuscuta* spp.
- health management for ornamental plants and, 146
- Cyan fluorescent reporter protein (CFP)
- plant rhabdoviruses and, 651
- Cynara* spp.
- plant rhabdoviruses and, 627
- Cynodon dactylon*
- plant rhabdoviruses and, 627
- CYP706B1* gene
- cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 74
- Cytokinins
- signal crosstalk and induced resistance, 562
- Cytomegalovirus (CMV)
- RNA silencing in productive virus infections and, 534
- Cytopathology
- plant rhabdoviruses and, 647–50
- Cytorhabdovirus* genus
- plant rhabdoviruses and, 623–55
- D**
- Daphne mezereum*
- plant rhabdoviruses and, 627
- Dark green islands
- RNA silencing in productive virus infections and, 523, 537
- DASI-ELISA
- Prunus* and *Vitis* testing and certification, 267
- Datura stramonium*
- plant rhabdoviruses and, 625
- Daucus carota*
- plant rhabdoviruses and, 626
- Debaromyces* spp.
- commercialization and implementation of biocontrol, 351
  - fungal speciation and, 295
- defl* gene
- hemipterans as plant pathogens and, 503, 509
- Defense response
- biotrophs/necrotrophs and, 205
  - cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 63–76
  - hemipterans as plant pathogens and, 491–511
  - lipids, lipases, and lipid-modifying enzymes in plant disease

- resistance, 229–47  
 RNA silencing in  
   productive virus  
   infections and, 530–32  
 tomato-*Cladosporium*  
   *fulvum* molecular  
   interactions and, 397–99  
 Degradation  
   RNAi and, 191–200  
 Delivery systems  
   commercialization and  
   implementation of  
   biocontrol, 348–49  
 Desoxyhemigossypol (dHG)  
   cotton resistance to  
   *Xanthomonas campestris*  
   pv. *malvacearum* and,  
   73–74  
 Determinants  
   hemipterans as plant  
   pathogens and, 497–98  
 Developing countries  
   global food security and,  
   83–109  
 Development  
   commercialization and  
   implementation of  
   biocontrol, 338–44  
*Dianthus* spp.  
   plant rhabdoviruses and,  
   626  
*Diaporthe phaseolorum*  
   global food security and,  
   91  
 Dicer/dicer-like enzymes  
   RNAi and, 199  
*Didymella lentis*  
   global food security and,  
   87  
 Diethyldithiocarbamic acid  
   (DIECA)  
   cotton resistance to  
   *Xanthomonas campestris*  
   pv. *malvacearum* and, 72  
*Digitaria* spp.  
   plant rhabdoviruses and,  
   627  
 2,7-Dihydroxycadalenene  
   (DHC)  
   cotton resistance to  
   *Xanthomonas campestris*  
   pv. *malvacearum* and,  
   72–75  
 Dikaryons  
   fungal speciation and,  
   279–302  
*Dioscorea alata*  
   global food security and,  
   91, 93  
*Diplocarpon rosae*  
   health management for  
   ornamental plants and,  
   149  
*Diplodia* spp.  
   global food security and,  
   88  
 Dispersal  
   fungal speciation and,  
   279–302  
*Ditylenchus dipsaci*  
   global food security and,  
   90, 94  
 Diversity  
   geminiviruses and, 363–64  
   *Phytophthora infestans* at  
   center of origin and,  
   174–75, 181–82  
   tomato-*Cladosporium*  
   *fulvum* molecular  
   interactions and, 412  
 DNA-B  
   geminiviruses and, 378–82  
 Dobzhansky-Muller model  
   fungal speciation and,  
   281–83  
 Domestication  
   fungal speciation and, 288  
 Dominance  
   virus resistance genes and,  
   596–98  
*Drechslera gramininea*  
   history of research, 16  
*Drimys* spp.  
   sudden oak death  
   management and, 310  
*Drosophila* spp.  
   fungal speciation and, 281,  
   299, 301  
   plant rhabdoviruses and,  
   654  
   RNAi and, 200  
   RNA silencing in  
   productive virus  
   infections and, 526  
 Drought  
   signal crosstalk and  
   induced resistance, 545,  
   562–64  
*Dryopteris* spp.  
   sudden oak death  
   management and, 310  
 Durable resistance  
   virus resistance genes and,  
   581, 606–7  
  
**E**  
 Early signaling events  
   tomato-*Cladosporium*  
   *fulvum* molecular  
   interactions and, 421–22  
 East African cassava mosaic  
   virus  
   global food security and,  
   86–87, 107  
 Ecology  
   commercialization and  
   implementation of  
   biocontrol, 345–46  
   plant rhabdoviruses and,  
   623–55  
*eds5* gene  
   hemipterans as plant  
   pathogens and, 503  
   signal crosstalk and  
   induced resistance, 548  
 Effectors  
   lipids, lipases, and  
   lipid-modifying enzymes  
   in plant disease  
   resistance, 232–33  
   viroids and viroid-host



- interactions, 128–30
- Eleusine coracana*
- global food security and, 88, 93
- Elicitors
- hemipterans as plant pathogens and, 497–98, 508–9
- lipids, lipases, and lipid-modifying enzymes in plant disease resistance, 229, 233–35
- signal crosstalk and induced resistance, 554–56
- Encapsidation
- alfamovirus and ilarvirus replication, 52–54
- Encoding
- RNA silencing in productive virus infections and, 532–36
- tomato-*Cladosporium fulvum* molecular interactions and, 411–12
- tospovirus-thrips interactions and, 462
- Endophytes
- fungal speciation and, 292–93
- Endria inimical*
- plant rhabdoviruses and, 632
- Engineered evolution
- fungal speciation and, 296
- Environmental parameters
- commercialization and implementation of biocontrol, 345
- health management for ornamental plants and, 141, 143, 150–51
- signal crosstalk and induced resistance, 545
- Environmental Protection Agency (EPA)
- commercialization and implementation of biocontrol, 338, 349
- Enzyme-linked immunosorbent assay (ELISA)
- Prunus* and *Vitis* testing and certification, 261, 267–68
- Ephemerovirus* genus
- plant rhabdoviruses and, 634
- Epichloë* spp.
- fungal speciation and, 292–93
- Epidemics
- health management for ornamental plants and, 151
- Phytophthora infestans* at center of origin and, 172–73, 178
- Epidemiology
- Phytophthora infestans* at center of origin and, 171–75
- sudden oak death management and, 309–29
- Epistasis
- fungal speciation and, 279–302
- Eradication
- sudden oak death management and, 323–24
- Eragrostis tef*
- global food security and, 88
- ERG11* gene
- fungal speciation and, 281
- Erysiphe* spp.
- defense against biotrophs/necrotrophs and, 205, 214
- global food security and, 87, 89–91
- signal crosstalk and induced resistance, 551–52
- Erwinia* spp.
- health management for ornamental plants and, 149
- global food security and, 87, 89
- Escherichia coli*
- cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 74
- Ethylene
- defense against biotrophs/necrotrophs and, 205, 210–12
- signal crosstalk and induced resistance, 545, 550–54, 556, 559–65
- Euonymus japonica*
- plant rhabdoviruses and, 627
- Evolution
- fungal speciation and, 279–302
- geminiviruses and, 361–89
- global food security and, 98–100
- Phytophthora infestans* at center of origin and, 171–85
- plant rhabdoviruses and, 644, 646
- tomato-*Cladosporium fulvum* molecular interactions and, 411–15
- tospovirus-thrips interactions and, 459, 464–65
- virus resistance genes and, 581, 603–6
- Exclusion
- inoculum
- global food security and, 100–1
- Exotics
- introduction of, 19–20
- Expression profiling
- signal crosstalk and

- induced resistance, 561-62
- Extracellular proteins (ECPs)
- tomato-*Cladosporium fulvum* molecular interactions and, 397-99
- F**
- fab2* gene
- signal crosstalk and induced resistance, 560
- FadA protein
- secondary metabolism in filamentous fungi and, 443-44
- Fagus* spp.
- sudden oak death management and, 310
- Farnesyl diphosphate
- cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 74
- Fatty acids
- lipids, lipases, and lipid-modifying enzymes in plant disease resistance, 229, 238
- Federal Food, Drug, and Cosmetic Act (FFDCA)
- commercialization and implementation of biocontrol, 349
- Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)
- commercialization and implementation of biocontrol, 349
- FeEDDHA
- commercialization and implementation of biocontrol, 345
- Feeding behavior
- tospovirus-thrips interactions and, 466
- Fertility
- health management for ornamental plants and, 152
- Festuca gigantea*
- plant rhabdoviruses and, 625
- Field work
- commercialization and implementation of biocontrol, 346-47
  - opportunities and obligations, 17-18
  - plant rhabdoviruses and, 646-47
  - Prunus* and *Vitis* testing and certification, 265-66
- Filamentous fungi
- secondary metabolism in aflatoxin, 438-39, 443-44, 447
  - alfR*, 444-45
  - areA*, 441
  - Aspergillus* spp., 443-48
  - biosynthetic gene clusters, 438-40
  - conclusions, 450-51
  - conidiation-specific functions, 446-47
  - creA*, 441
  - FadA, 443-44
  - FlbA, 443-44
  - fumonisin, 439-40
  - Fusarium* spp., 448-49
  - Gα, 443-46
  - ganB*, 445-46
  - global regulatory factors, 441-42
  - introduction, 437-38
  - laeA*, 441-42
  - ligands, 448-50
  - pacC*, 441
  - pathway-specific transcription factors, 440-41
  - pigment production, 448
  - protein kinase A, 444-45
  - RGS protein, 443-46
  - rgsA*, 445-46
  - sexual development genes, 447-48
  - sterigmatocystin, 438-39, 443-44, 446-48
  - transcriptional regulation, 440-42
  - tricothecenes, 439
  - upstream signaling mechanisms, 442-50
- Fire
- sudden oak death management and, 325-26
- Fitness
- fungal speciation and, 292-93
- FlbA protein
- secondary metabolism in filamentous fungi and, 443-44
- Flexiviridae
- Prunus* and *Vitis* testing and certification, 263
- Floriculture crops disease control
- health management for ornamental plants and, 141-61
- Foliar epidemics
- Phytophthora infestans* at center of origin and, 172-73, 183-85
- Food Quality Protection Act (FQPA)
- commercialization and implementation of biocontrol, 349
- Food security
- global food security and, 83-109
  - homeland security and, 19
- Forests
- sudden oak death management and, 309-29

- Fragaria* spp.  
 plant rhabdoviruses and, 625
- Frankliniella* spp.  
 tospovirus-thrips interactions and, 461, 464, 469–71, 478
- Fraxinus* spp.  
 sudden oak death management and, 310
- Fumonisin  
 global food security and, 94  
 secondary metabolism in filamentous fungi and, 439–40  
 signal crosstalk and induced resistance, 565
- Fungal speciation mechanisms of  
 allopatric speciation, 289, 293–94  
 aneuploid hybrids, 296–97  
 asexual heteroploid hybrids, 292–93  
 asexual reproduction, 286  
 autofertilization, 297–98  
 between species, 286  
 case studies, 289–99  
 chromosome doubling, 297–98  
 close cohabitation in host, 292–93  
 collinear *Saccharomyces* spp., 296–97  
 conclusions, 302  
 domestication, 288  
 elucidation, 300–2  
 engineered evolution, 296–97  
 experimental approaches, 296–302  
 grass endophytes, 292–93  
*Heterobasidion annosum* species complex, 289–91  
 host range, 288  
 host tree genera, 289–91  
 hybrid fitness advantage, 292–93  
 hybridization, 292–93, 296–99  
 hybrid poplar vulnerability to hybrid rust, 291–92  
 hyphal fusions, 286  
 interconnectedness, 286  
 introduction, 279–85  
 known mechanisms, 298–300  
 large-scale comparative genomics, 294–96  
*Lentinula* Earle, 289  
 mating-type switching, 297–98  
 metapopulations, 287  
 mismatch repair system deactivation, 298–99  
 New World intersterility, 289  
 Old World interfertility, 289  
*Ophiostoma novo-ulmi*, 293–94  
*Ophiostoma ulmi*, 293–94  
 parasexual hybridization, 292–93  
 pathogenicity, 288  
 ploidy, 287  
 postzygotic reproductive barriers/isolation, 296–98  
 prezygotic isolation, 289–91  
 propagule dissemination, 287  
 prospects, 300–2  
 relation to host or substrate, 287–88  
 retrospective studies of ancient events, 294–96  
 shiitake mushrooms, 289  
 short-range dispersal, 289  
 summary, 298–300  
 sympatric speciation, 289–91  
 vertical transmission, 292–93  
 whole-genome duplication, 294–96  
 within species, 286
- Fungi  
 commercialization and implementation of biocontrol, 338–44, 346–53  
 global food security and, 84, 92–94  
 history of research, 5, 8–9, 33  
 RNAi and, 200  
 secondary metabolism in filamentous fungi and, 437
- Fungicides  
 commercialization and implementation of biocontrol, 347, 349, 351–52  
 history of research, 7–9, 19  
*Phytophthora infestans* at center of origin and, 173–74, 180–81
- Fusarium* spp.  
 commercialization and implementation of biocontrol, 340–42, 345–46, 348, 350, 352  
 cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 74  
 global food security and, 87, 89–91, 94, 96, 99  
 health management for ornamental plants and, 146

- lipids, lipases, and
  - lipid-modifying enzymes
  - in plant disease
  - resistance, 231
- secondary metabolism in
  - filamentous fungi and, 439, 448–49
  - signal crosstalk and
  - induced resistance, 550
- Fusion proteins
  - tospovirus-thrips interactions and, 477
- G**
- ganB* gene
  - secondary metabolism in filamentous fungi and, 445–46
- Geminiviruses
  - Begomovirus*, 365–69
    - BC1, 380
  - biological properties, 363–64
  - bipartite begomoviruses, 380–82
  - BV1, 380
  - characterization, 362–70
  - conclusions, 389
  - Curtovirus*, 369–70
  - disease, 388–89
  - diversity in genome structure, 363–64
  - DNA-B, 378–82
  - evolution, 371–88
  - gene silencing, 385–87
  - integrated pest management, 388–89
  - introduction, 361–62
  - Mastrevirus*, 370
  - monopartite
    - begomoviruses, 368–69
  - phloem, 377–82
  - posttranscriptional gene silencing, 385–86
  - pseudorecombination, 387–88
  - recognition, 362–63
  - recombination, 387–88
  - reprogramming host cell cycle, 373–74
  - satellite DNA, 382–85
  - spread, 375–77
  - suppression of host defense response, 386–87
  - Topocuvirus*, 370
  - transcriptional-based gene silencing, 386
- Gene clusters
  - secondary metabolism in filamentous fungi and, 438–40
- Gene duplication
  - fungus speciation and, 279–302
- Gene-for-gene resistance
  - cotton resistance to
    - Xanthomonas campestris* pv. *malvacearum* and, 64–66
  - defense against
    - biotrophs/necrotrophs and, 208–9
  - hemipterans as plant pathogens and, 494–95
- Gene mapping
  - cotton resistance to
    - Xanthomonas campestris* pv. *malvacearum* and, 67–68
- Generalists
  - fungus speciation and, 279–302
- Gene silencing
  - geminiviruses and, 361, 385–87
  - plant rhabdoviruses and, 651
  - RNAi and, 191–200
  - RNA silencing in productive virus infections and, 523, 527
- Gene sorting
  - fungus speciation and, 281
- Genetic dissection
  - tomato-*Cladosporium fulvum* molecular interactions and, 415–17
- Genetic diversity
  - global food security and, 83–109
- Genetic drift
  - fungus speciation and, 281
- Genetic modification (GM)
  - global food security and, 105–7
- Genomics
  - alfamovirus and ilarvirus replication, 39–57
  - cotton resistance to
    - Xanthomonas campestris* pv. *malvacearum* and, 65–66
  - fungus speciation and, 279, 282–84, 294–96
  - geminiviruses and, 361–89
  - hemipterans as plant pathogens and, 491–92
  - plant rhabdoviruses and, 633–55
  - tospovirus-thrips interactions and, 460, 462–64
  - virus resistance genes and, 581
- Gerbera* spp.
  - plant rhabdoviruses and, 627
- Germplasm
  - Prunus* and *Vitis* testing and certification, 261–72
- GhLox1* gene
  - cotton resistance to
    - Xanthomonas campestris* pv. *malvacearum* and, 71–72
- Gibberella* spp.
  - Bakanae and, 12
  - global food security and, 87–88, 94
- Gliocladium* spp.
  - commercialization and

- implementation of  
biocontrol, 341, 347, 352
- Global food security  
bacterial diseases, 92  
biochemistry, 104–5  
biological challenge, 107–8  
crop plants, 86–91  
fungal diseases, 92–94  
future challenges, 107–9  
genetic diversity, 103–4  
genetic resistance, 101–5  
GM option, 105–7  
inoculum  
dissemination, 97–98  
elimination, 100–1  
exclusion, 100–1  
reduction, 100–1  
sources, 95–97  
introduction, 83–86  
measurement of  
disease/effect on yield, 97  
molecular biology, 104–5  
nematode diseases, 94–95  
oomycete diseases, 94  
parasitic plant-caused  
diseases, 95  
pathogens, 86–91  
dissemination, 98–100  
evolution, 98–100  
identification, 95–97  
virulence characteristics,  
98–100  
political challenge, 108–9  
threats, 86–107  
virus diseases, 86
- Globalization  
health management for  
ornamental plants and,  
143
- Global regulatory factors  
secondary metabolism in  
filamentous fungi and,  
441–42
- Globodera pallida*  
virus resistance genes and,  
588
- Gloeocercospora sorghi*
- global food security and,  
90
- Glomerella* spp.  
global food security and,  
87, 89–91
- Glomus intradices*  
commercialization and  
implementation of  
biocontrol, 346
- Gloriosa rothschildiana*  
plant rhabdoviruses and,  
627
- $\beta$ -Glucans  
commercialization and  
implementation of  
biocontrol, 346
- Glucosinolates  
hemipterans as plant  
pathogens and, 509–10
- Glycine max*  
plant rhabdoviruses and,  
629
- Glycolchitosan  
commercialization and  
implementation of  
biocontrol, 352
- Glycoproteins  
plant rhabdoviruses and,  
642–43  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 402–8  
tospovirus-thrips  
interactions and, 459,  
463, 472–79
- Glycosylation  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 407–8
- GMO products  
evaluation of new, 20
- Gomphrena globosa*  
plant rhabdoviruses and,  
627
- Gossypium* spp.  
cotton resistance to  
*Xanthomonas campestris*  
pv. *malvacearum* and,  
63–76
- Gossypol  
cotton resistance to  
*Xanthomonas campestris*  
pv. *malvacearum* and, 74
- G proteins  
plant rhabdoviruses and,  
642–43  
secondary metabolism in  
filamentous fungi and,  
437, 443–46
- Graft indexing  
*Prunus* and *Vitis* testing  
and certification, 265
- Graft-transmissible agents  
*Prunus* and *Vitis* testing  
and certification, 261–72
- Graminella* spp.  
plant rhabdoviruses and,  
632
- Gram-negative bacteria  
lipids, lipases, and  
lipid-modifying enzymes  
in plant disease  
resistance, 233–34
- Grapevines  
*Prunus* and *Vitis* testing  
and certification, 263–65
- Grass endophytes  
fungal speciation and,  
292–93
- Green fluorescent protein.  
(GFP)  
alfamovirus and ilarvirus  
replication, 53  
plant rhabdoviruses and,  
648, 651
- Greenhouses  
health management for  
ornamental plants and,  
144–45, 152  
*Prunus* and *Vitis* testing  
and certification, 265–66
- GUS genes  
RNAi and, 199
- Gymnosporangium* spp.

- health management for  
ornamental plants and,  
149
- Gynura aurantiaca*  
plant rhabdoviruses and,  
627  
viroids and viroid-host  
interactions, 122
- H**
- Hairpins  
alfamovirus and ilarvirus  
replication, 39–57  
RNAi and, 199
- Hamamelis* spp.  
sudden oak death  
management and, 310
- Hammerhead ribozymes  
viroids and viroid-host  
interactions, 117, 123–25
- Haplidity  
fungal speciation and,  
279–302
- Haplotype diversity  
*Phytophthora infestans* at  
center of origin and, 182
- HC-pro protein  
RNAi and, 199
- Hcr9* loci  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 402,  
414–15
- Health management  
ornamental plants and,  
141–61
- Heart rot  
history of research, 29
- Hedera helix*  
plant rhabdoviruses and,  
627
- Helicoverpa zea*  
hemipterans as plant  
pathogens and, 499, 502  
signal crosstalk and  
induced resistance,  
555–56
- Helminthosporium* spp.  
global food security and,  
87–88
- Hemigossypol  
cotton resistance to  
*Xanthomonas campestris*  
pv. *malvacearum* and,  
73–74  
13-LOX products and,  
504–5
- Hemipterans  
as plant pathogens  
aphids, 492–93  
*avr* determinants,  
497–98  
behavioral cues, 506–10  
below-ground signals,  
510  
C<sub>6</sub> volatiles, 504–5  
Capparales, 509–10  
conclusions, 510–11  
elicitors, 497–98, 508–9  
future perspectives,  
510–11  
gene-for-gene resistance,  
494–97  
genetics, 502–3  
glucosinolates, 509–10  
herbivores, 497–98,  
506–7  
hexadecanoid pathway,  
503–4  
*Hsp90*, 496–97  
hypersensitive response,  
494–95  
13-LOX products,  
504–5  
metabolism, 505–6  
octadecanoid pathway,  
503–4  
oral secretions, 497–98  
oxylipin signals, 503–6  
pathogens, 507–8  
phloem-feeding animals,  
495–96  
physiological cues,  
506–10
- plant defense responses,  
498–503  
plant-herbivore  
interactions, 498–99  
preformed physical and  
chemical defenses,  
493–94  
reactive oxygen species,  
505–6  
resistance, 494–95  
*Rme1*, 496–97  
RNA profiles, 498–99  
*SGT1*, 496–97  
volatiles, 504–10  
whiteflies, 492–93  
wound responses,  
499–502
- Heracleum spondylium*  
plant rhabdoviruses and,  
626
- Herbicides  
commercialization and  
implementation of  
biocontrol, 337
- Herbivores  
hemipterans as plant  
pathogens and, 497–98,  
506–7  
signal crosstalk and  
induced resistance, 545,  
553–56
- Heterobasidion* spp.  
fungal speciation and, 282,  
286, 289–91
- Heterodera* spp.  
global food security and,  
87–88, 95
- Heteromeles* spp.  
sudden oak death  
management and, 310
- Heteroploidy  
fungal speciation and,  
292–93
- Heterosporium tropeoli*  
health management for  
ornamental plants and,  
146

- Hexadecanoid pathway
    - hemipterans as plant pathogens and, 503–4
  - Hibiscus cannabinus*
    - plant rhabdoviruses and, 627
  - hmg-1* gene
    - cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 74
  - Holcus lanatus*
    - plant rhabdoviruses and, 627
  - Homeland security
    - food security and, 19
  - hopPtoM* genes
    - global food security and, 98
  - Horticultural crops
    - Prunus* and *Vitis* testing and certification, 261–72
  - Host gene expression
    - plant rhabdoviruses and, 650–52
  - Host range
    - fungal speciation and, 288
    - Phytophthora infestans* at center of origin and, 183–84
    - viroids and viroid-host interactions, 120–21
  - Host resistance
    - health management for ornamental plants and, 141, 149–50
    - Phytophthora infestans* at center of origin and, 178–79
    - sudden oak death management and, 316–17
  - Host specificity
    - viroids and viroid-host interactions, 120–21
  - Host switching
    - Phytophthora infestans* at center of origin and, 185
  - HRT genes
    - virus resistance genes and, 600
  - Hsp90* gene
    - hemipterans as plant pathogens and, 496–97
  - Hybridization
    - fungal speciation and, 279–302
  - Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)
    - cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 70
  - 2-Hydroxy
    - 7-methoxycadalene (HMC)
      - cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 72–75
  - Hyperomyza lactucae*
    - plant rhabdoviruses and, 632
  - Hypersensitive response
    - cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 63–64, 70–76
    - hemipterans as plant pathogens and, 494–95
    - lipids, lipases, and lipid-modifying enzymes in plant disease resistance, 229
  - Hypervariability
    - tomato-*Cladosporium fulvum* molecular interactions and, 411–12
  - Hyphal fusions
    - fungal speciation and, 286
- I**
- IC-RT-PCR
    - Prunus* and *Vitis* testing and certification, 268
  - Illarviruses
    - alfamovirus and ilarvirus replication, 39–57
    - Prunus* and *Vitis* testing and certification, 265, 267
  - Immune response
    - RNAi and, 193–94
  - Immuno-capture
    - Prunus* and *Vitis* testing and certification, 268
  - Impact determination
    - sudden oak death management and, 318–20
  - Indica*-type cultivars
    - kernel smut and, 11, 20
  - Induced resistance
    - signal crosstalk and induced resistance, 545
  - Induction
    - RNAi and, 198
  - Infection processes
    - plant rhabdoviruses and, 647–50
  - Insecticides
    - commercialization and implementation of biocontrol, 349
  - Insect vectors
    - geminiviruses and, 361
    - hemipterans as plant pathogens and, 491–92
    - signal crosstalk and induced resistance, 545, 553–56
    - tospovirus-thrips interactions and, 459–80
  - Integrated pest management (IPM)
    - geminiviruses and, 388–89
    - health management for ornamental plants and, 141, 148
    - history of research, 19
  - Integrated systems
    - commercialization and implementation of biocontrol, 351–52
  - Intercellular signaling
    - RNA silencing in productive virus

- infections and, 523
- Interconnectedness  
fungal speciation and, 286
- Intercropping  
global food security and,  
85
- Interfertility  
fungal speciation and, 289
- Intersterility  
fungal speciation and, 289
- Intracellular movement  
viroids and viroid-host  
interactions, 125–26
- Intragenic sequence exchange  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 412
- Introgression  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 399–400
- Invertebrates  
plant rhabdoviruses and,  
623–55
- Ipomoea batatas*  
global food security and,  
91
- Iprodione  
commercialization and  
implementation of  
biocontrol, 351
- Iris germanica*  
plant rhabdoviruses and,  
627
- J**
- ja1* gene  
hemipterans as plant  
pathogens and, 503
- Japonica*-type cultivars  
history of research, 6  
kernel smut and, 11
- jar1* gene  
hemipterans as plant  
pathogens and, 504, 509
- Jasmonic acid  
cotton resistance to  
*Xanthomonas campestris*  
pv. *malvacearum* and,  
71–72
- defense against  
biotrophs/necrotrophs  
and, 205, 210–12
- lipids, lipases, and  
lipid-modifying enzymes  
in plant disease  
resistance, 229, 242–43
- signal crosstalk and  
induced resistance, 545,  
550–67
- K**
- Kalmia* spp.  
sudden oak death  
management and, 310,  
328
- Kernel smut  
history of research, 10–11,  
20
- Kluyveromyces* spp.  
fungal speciation and,  
295–96
- L**
- Laburnum* spp.  
plant rhabdoviruses and,  
627
- Lacinilene C (LC)  
cotton resistance to  
*Xanthomonas campestris*  
pv. *malvacearum* and,  
72–74
- Lacinilene C 7-methyl ether  
(LCME)  
cotton resistance to  
*Xanthomonas campestris*  
pv. *malvacearum* and,  
72–74
- laeA* gene  
secondary metabolism in  
filamentous fungi and,  
441–42
- Laetisaria arvalis*  
commercialization and  
implementation of  
biocontrol, 351
- Launea arborescens*  
plant rhabdoviruses and,  
627
- Laurus* spp.  
sudden oak death  
management and, 310
- Lentinula* spp.  
fungal speciation and, 289
- Leptosphaeria salvinii*  
history of research, 8
- Leucine-rich repeats (LRRs)  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 402
- Life cycle  
tospovirus-thrips  
interactions and, 466
- Ligands  
secondary metabolism in  
filamentous fungi and,  
448–50
- viroids and viroid-host  
interactions, 123–25
- Light  
signal crosstalk and  
induced resistance, 545
- Linum marginale*  
fungal speciation and, 287
- Lipids, lipases, and  
lipid-modifying  
enzymes  
in plant disease resistance  
acyl-hydrolases, 244–46
- bacterial effector  
proteins, 232–33
- cerebrosides, 234–35
- conclusions, 247
- elicitors, 233–35
- gram-negative bacteria,  
233–34
- introduction, 229–30
- jasmonic acid, 242–43
- lipases, 243–46
- lipids, 231–42
- LPS, 233–34



- membrane localization, 232–33
  - metabolism, 231–32
  - microbial lipid-binding proteins, 234–35
  - oxylipins, 239–42
  - PAMPs, 233–34
  - pathogenesis regulation by lipids, 231–33
  - phosphatidic acid, 237
  - phospholipases, 243–44
  - plant-microbe interaction, 230–31
  - plant surface waxes, 231
  - plasma membrane localization, 235–36
  - race-specific resistance, 235–36
  - signal molecules, 237–43
  - sphingolipids, 231–32
  - systemic acquired resistance, 246–47
  - unsaturated fatty acids, 238
  - Lipopolysaccharide (LPS)
    - lipids, lipases, and lipid-modifying enzymes in plant disease resistance, 229, 233–34
  - Lipoxygenases
    - cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 71
    - hemipterans as plant pathogens and, 504–5
  - Liriomyza* spp.
    - signal crosstalk and induced resistance, 556
  - Lithocarpus densiflorus*
    - sudden oak death management and, 309–29
  - Lolium* spp.
    - plant rhabdoviruses and, 628
  - Long-distance movement
    - viroids and viroid-host interactions, 127–28
    - virus resistance genes and, 581, 594–96
  - Lonicer*a spp.
    - sudden oak death management and, 310
  - Lotus* spp.
    - plant rhabdoviruses and, 628
  - LOX* genes
    - signal crosstalk and induced resistance, 550
  - L protein
    - plant rhabdoviruses and, 643–44
  - Lupinus* spp.
    - health management for ornamental plants and, 147
    - plant rhabdoviruses and, 628
  - Lycopersicon* spp.
    - hemipterans as plant pathogens and, 493, 500
    - signal crosstalk and induced resistance, 554
    - tomato-*Cladosporium fulvum* molecular interactions and, 395–427
  - Lygus hesperus*
    - hemipterans as plant pathogens and, 507
  - Lyssavirus* genus
    - plant rhabdoviruses and, 634
- M**
- Macrophomina phaseolina*
    - global food security and, 90
  - Macroposthenia xenoplax*
    - health management for ornamental plants and, 149
  - Macrospium* spp.
    - hemipterans as plant pathogens and, 493
  - signal crosstalk and induced resistance, 556
  - Magnaporthe* spp.
    - fungal speciation and, 288
    - global food security and, 89, 101
    - hemipterans as plant pathogens and, 507
    - history of research, 8
    - lipids, lipases, and lipid-modifying enzymes in plant disease resistance, 231
    - rice blast disease and, 11
  - Malus* spp.
    - Prunus* and *Vitis* testing and certification, 271
  - Malva* spp.
    - plant rhabdoviruses and, 628
  - Mancozeb
    - commercialization and implementation of biocontrol, 351
  - Phytophthora infestans* at center of origin and, 173
  - Manduca* spp.
    - hemipterans as plant pathogens and, 500–2
    - signal crosstalk and induced resistance, 558, 561
  - Manihot* spp.
    - plant rhabdoviruses and, 626
  - Marker-assisted selection
    - global food security and, 85, 103
  - Marker systems
    - Phytophthora infestans* at center of origin and, 179
  - Mastrevirus* genus
    - geminiviruses and, 370
  - Mathiola* spp.
    - health management for ornamental plants and, 146

- Mating system isolation  
fungal speciation and, 284
- Mating-type switching  
fungal speciation and,  
297-98
- Matrix protein  
plant rhabdoviruses and,  
642
- Mayetiola destructor*  
hemipterans as plant  
pathogens and, 494
- Medicago sativa*  
plant rhabdoviruses and,  
628
- Melampsora* spp.  
fungal speciation and, 287,  
291
- Melilotus* spp.  
plant rhabdoviruses and,  
628
- Meloidogyne* spp.  
global food security and,  
87, 91, 94  
health management for  
ornamental plants and,  
149  
hemipterans as plant  
pathogens and, 495
- Membrane glycoproteins  
tospovirus-thrips  
interactions and, 459,  
463, 472-79
- Membrane localization  
lipids, lipases, and  
lipid-modifying enzymes  
in plant disease  
resistance, 232-33
- Mentha piperita*  
plant rhabdoviruses and,  
628
- Metabolism  
hemipterans as plant  
pathogens and, 505-6  
lipids, lipases, and  
lipid-modifying enzymes  
in plant disease  
resistance, 229, 231-32
- Metalaxyl  
*Phytophthora infestans* at  
center of origin and, 174,  
180
- Metapopulations  
fungal speciation and, 287  
*Phytophthora infestans* at  
center of origin and, 181
- Methyl bromide  
commercialization and  
implementation of  
biocontrol, 351-52  
health management for  
ornamental plants and,  
144
- Metschnikowia fructicola*  
commercialization and  
implementation of  
biocontrol, 350
- Mi-1* gene  
hemipterans as plant  
pathogens and, 491,  
495-97
- Microbial lipid-binding  
proteins  
lipids, lipases, and  
lipid-modifying enzymes  
in plant disease  
resistance, 234-35
- Microbotryum violaceum*  
fungal speciation and, 301
- Microdochium nivale*  
commercialization and  
implementation of  
biocontrol, 342
- MicroRNA pathway  
RNA silencing in  
productive virus  
infections and, 523,  
525-27
- Microsatellite markers  
global food security and,  
103
- Microspecies  
fungal speciation and, 284
- Microsphaeropsis ochracea*  
commercialization and  
implementation of  
biocontrol, 348
- Mikania micrantha*  
global food security and,  
93
- Milky Way locus  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 400-2,  
409-11, 413-14
- Minus-strand RNA synthesis  
alfamovirus and ilarvirus  
replication, 48-50
- Mismatch repair  
fungal speciation and,  
298-99
- Mixed infections  
RNA silencing in  
productive virus  
infections and, 536
- Molecular diagnostics  
*Prunus* and *Vitis* testing  
and certification,  
266-69  
sudden oak death  
management and,  
309-29
- Monilinia vaccinicorymbosi*  
commercialization and  
implementation of  
biocontrol, 349
- Monilochaetes infusans*  
global food security and,  
91
- Monographella nivalis*  
global food security and,  
89-90
- Monokaryons  
fungal speciation and,  
279-302
- Movement proteins  
alfamovirus and ilarvirus  
replication, 52-54  
plant rhabdoviruses and,  
642, 650  
tospovirus-thrips  
interactions and, 468-69

- virus resistance genes and, 581, 592–96
- M protein**
- plant rhabdoviruses and, 642
- mtDNA haplotype diversity**
- Phytophthora infestans* at center of origin and, 182
- Mutualism**
- fungal speciation and, 279–302
- MvI gene**
- plant rhabdoviruses and, 630
- Mycosphaerella spp.**
- global food security and, 90–91
- Mycotoxins**
- secondary metabolism in filamentous fungi and, 437
- Myrothecium spp.**
- commercialization and implementation of biocontrol, 341
- secondary metabolism in filamentous fungi and, 439
- Myzus spp.**
- hemipterans as plant pathogens and, 493–94, 500–3, 508
- signal crosstalk and induced resistance, 556
- N**
- nahG gene**
- hemipterans as plant pathogens and, 503
- signal crosstalk and induced resistance, 547–48, 552, 558
- Nakataea sigmoidea**
- history of research, 8
- Natural selection**
- fungal speciation and, 281–82
- nec1 gene**
- global food security and, 99
- Nectria haematococca**
- global food security and, 98–99
- Negative-strand viruses**
- plant rhabdoviruses and, 623–52
- Nelumbo nucifera**
- plant rhabdoviruses and, 628
- Nematode diseases**
- global food security and, 94–95
- Neocosmospora boniensis**
- global food security and, 99
- Neotyphodium spp.**
- fungal speciation and, 292
- Neovossia horrida**
- kernel smut and, 10
- Nepovirus genus**
- Prunus* and *Vitis* testing and certification, 265, 267
- Neurospora spp.**
- fungal speciation and, 282, 286, 294
- New World intersterility**
- fungal speciation and, 289
- N genes**
- virus resistance genes and, 596–98
- Nicandra physaloides**
- virus resistance genes and, 604
- Nicotiana spp.**
- geminiviruses and, 368–69
- hemipterans as plant pathogens and, 493, 500–1, 507
- plant rhabdoviruses and, 625, 631, 637, 643, 645, 648, 650
- Prunus* and *Vitis* testing and certification, 263, 265
- RNAi and, 198
- signal crosstalk and induced resistance, 561, 566–67
- virus resistance genes and, 596–99, 605
- Nilaparvata lugens**
- hemipterans as plant pathogens and, 501
- Nothofagus spp.**
- sudden oak death management and, 310
- Novarhabdovirus genus**
- plant rhabdoviruses and, 634
- npr1 gene**
- hemipterans as plant pathogens and, 503, 509
- signal crosstalk and induced resistance, 556, 559
- N protein**
- plant rhabdoviruses and, 640–41
- N-terminal LRRs**
- tomato-*Cladosporium fulvum* molecular interactions and, 411–12
- Nucleic acid hybridization**
- Prunus* and *Vitis* testing and certification, 269
- Nucleic-based assay**
- Prunus* and *Vitis* testing and certification, 268–69
- Nucleocapsid protein**
- plant rhabdoviruses and, 640–41
- Nucleorhabdovirus genus**
- plant rhabdoviruses and, 623–55
- Nursery plant diseases**
- health management for ornamental plants and, 141–61
- history of research, 25, 31–33
- Nutrient limitation**

signal crosstalk and  
induced resistance, 545

## O

- Octadecanoid pathway
  - hemipterans as plant pathogens and, 503-4
- Oidium neolycopersici*
  - signal crosstalk and induced resistance, 552
- Old World interfertility
  - fungal speciation and, 289
- Oleaviruses
  - alfamovirus and ilarvirus replication, 39-57
- Oligomeric RNA templates
  - viroids and viroid-host interactions, 122
- Oomycete diseases
  - global food security and, 94
- Oospores
  - Phytophthora infestans* at center of origin and, 174-75
- Open field burning
  - history of research, 1, 6-7, 13-15
- Ophiostoma* spp.
  - fungal speciation and, 282, 291, 293-94
- opr3* gene
  - hemipterans as plant pathogens and, 504
- Oral secretions
  - herbivore
    - hemipterans as plant pathogens and, 497-98
- Ornamental plants
  - health management for
    - biocontrol, 152-57
    - case studies, 147-49
    - chemical controls, 157-60
    - clean stock, 145-46
    - conclusions, 160-61
    - cultural control, 151-52

- culture indexing, 145-46
  - detection, 157
  - diagnosis, 157
  - environmental issues, 143, 150-51
  - fertility, 152
  - floriculture industry, 142
  - globalization, 143
  - greenhouses, 152
  - host resistance, 149-50
  - influences on industry, 143-44
  - introduction, 141-42
  - nature of industry, 143
  - new technology, 143-44
  - nursery industry, 142-43
  - pH management, 152
  - Phytophthora ramorum*, 147-48
  - principles, 144-60
  - Ralstonia solanacearum* race 3 biovar 2, 148-49
  - regulatory action, 147-49
  - sanitation, 144-45
  - seed treatment, 146-47
  - soiless mixes, 151-52
  - value of industry, 142-43
  - virus indexing, 146
  - water management, 152
  - history of research, 25-33
- Orobanche* spp.
  - global food security and, 95
- Oryza* spp.
  - hemipterans as plant pathogens and, 501
  - history of research, 9
- Oxidative burst
  - cotton resistance to
    - Xanthomonas campestris* pv. *malvacearum* and, 70
- Oxidative stress
  - commercialization and implementation of
    - biocontrol, 346

- Oxylipins
  - cotton resistance to
    - Xanthomonas campestris* pv. *malvacearum* and, 72
  - hemipterans as plant pathogens and, 491, 503-6
  - lipids, lipases, and lipid-modifying enzymes in plant disease resistance, 229, 239-42

## P

- P1-HcPro protein
  - RNA silencing in productive virus infections and, 532-33
- P1/P2 proteins
  - alfamovirus and ilarvirus replication, 51-52
- p19 protein
  - RNA silencing in productive virus infections and, 533
- p20 protein
  - RNA silencing in productive virus infections and, 533-34
- p23 protein
  - RNA silencing in productive virus infections and, 533-34
- p58<sup>IPK</sup> protein
  - RNA silencing in productive virus infections and, 535-36
- p69 protein
  - RNA silencing in productive virus infections and, 534-35
- pacC* gene
  - secondary metabolism in filamentous fungi and, 441
- pad4* gene
  - hemipterans as plant pathogens and, 503

- signal crosstalk and  
   induced resistance, 548  
*Panicum miliaceum*  
   global food security and,  
   88  
*Pantoea dispersa*  
   global food security and,  
   105  
 Paralogs  
   tomato-*Cladosporium*  
     *fulvum* molecular  
     interactions and, 412  
 Parasexual hybridization  
   fungal speciation and,  
   292–93  
 Parasitism  
   fungal speciation and,  
   279–302  
   global food security and,  
   95  
*Paratrachodorus anemones*  
   global food security and,  
   95  
*Passiflora edulis*  
   plant rhabdoviruses and,  
   628  
 Pathogen-associated  
   molecular patterns  
   (PAMPs)  
   lipids, lipases, and  
   lipid-modifying enzymes  
   in plant disease  
   resistance, 230, 233–34  
 Pathogen-derived resistance  
   RNAi and, 191–200  
 Pathway-specific  
   transcription factors  
   secondary metabolism in  
   filamentous fungi and,  
   440–41  
*PDR1* gene  
   fungal speciation and, 281  
*PDS* genes  
   RNAi and, 198  
*Pelargonium* spp.  
   plant rhabdoviruses and,  
   628  
*Penicillium* spp.  
   commercialization and  
   implementation of  
   biocontrol, 348  
   global food security and,  
   91  
   history of research, 35  
*Pennisetum glaucum*  
   global food security and,  
   88  
*Peregrinus maidis*  
   plant rhabdoviruses and,  
   632  
*Peronosclerospora* spp.  
   global food security and,  
   90, 94  
*Peronospora* spp.  
   defense against  
   biotrophs/necrotrophs  
   and, 205, 212–14  
   global food security and,  
   90, 94  
   hemipterans as plant  
   pathogens and, 493  
   signal crosstalk and  
   induced resistance, 563  
   virus resistance genes and,  
   601  
 Peroxidases  
   cotton resistance to  
   *Xanthomonas campestris*  
   pv. *malvacearum* and,  
   70–71  
 Pesticides  
   commercialization and  
   implementation of  
   biocontrol, 337–38,  
   349–51, 353  
   global food security and,  
   85, 101  
*Petasites officinalis*  
   plant rhabdoviruses and,  
   626  
*Petroselinum crispum*  
   plant rhabdoviruses and,  
   628  
*Phaeosphaeria* spp.  
   global food security and,  
   89–91  
*Phakopsora pachyrhizi*  
   global food security and,  
   90  
*Phaseolus* spp.  
   hemipterans as plant  
   pathogens and, 501  
   virus resistance genes and,  
   593, 606, 608  
 Phloem  
   geminiviruses and,  
   377–82  
   hemipterans as plant  
   pathogens and, 495–96  
 pH management  
   health management for  
   ornamental plants and,  
   152  
 Phosphatidic acid  
   lipids, lipases, and  
   lipid-modifying enzymes  
   in plant disease  
   resistance, 237  
 Phospholipases  
   lipids, lipases, and  
   lipid-modifying enzymes  
   in plant disease  
   resistance, 243–44  
   tomato-*Cladosporium*  
     *fulvum* molecular  
     interactions and, 423  
 Phosphoproteins  
   plant rhabdoviruses and,  
   641–42  
 Phosphorylation  
   tomato-*Cladosporium*  
     *fulvum* molecular  
     interactions and, 423  
*Phyllachora sorghi*  
   global food security and,  
   90  
 Phylogeny  
   *Phytophthora infestans* at  
   center of origin and,  
   184–85  
 Phylogeographic studies

- fungal speciation and,  
 279–302
- Physical defenses  
   hemipterans as plant  
   pathogens and, 493–94
- Phytoalexins  
   cotton resistance to  
   *Xanthomonas campestris*  
   pv. *malvacearum* and, 63,  
   72–75
- Phytohormone signaling  
   networks  
   signal crosstalk and  
   induced resistance, 545,  
   564
- Phytophthora infestans*  
   at center of origin  
   epidemiology, 172–75  
   foliar epidemics,  
   172–73, 183–85  
   fungicide resistance,  
   173–74  
   genotypic diversity, 181  
   genotypic variation, 179  
   host range, 183–84  
   host resistance, 178–79  
   indigenous *Solanum*  
   spp., 175–78  
   introduction, 171–72  
   marker systems, 179  
   Mexico, 183–85  
   mtDNA haplotype  
   diversity, 182  
   natural history, 172–75  
   oospores, 174–75  
   outlook, 185  
   phylogeny, 184–85  
   population biology,  
   179–82  
   population  
   differentiation, 180–81  
   speciation patterns,  
   183–85  
   tuber blight, 173
- Phytophthora ramorum*  
   management in California  
   and Oregon forests
- complexity of  
   management, 311–13  
   conclusions, 328–29  
   diagnosis, 323  
   eradication, 323–24  
   fire, 325–26  
   host resistance, 316–17  
   impact determination,  
   318–20  
   introduction, 309–11  
   invaded forests, 313–14  
   levels of management,  
   311–13  
   management actions,  
   320–23  
   monitoring, 320–23  
   pathogen  
   characterization,  
   314–15  
   restoration, 327  
   spatial distribution,  
   315–16  
   sporulation, 317–18  
   stand manipulation,  
   324–25  
   survival patterns, 317–18
- Phytophthora* spp.  
   commercialization and  
   implementation of  
   biocontrol, 346  
   global food security and,  
   84, 89, 94, 96  
   health management for  
   ornamental plants and,  
   142–43, 147–49  
   hemipterans as plant  
   pathogens and, 493, 505  
   history of research, 29, 35  
   signal crosstalk and  
   induced resistance, 553,  
   562–63  
   virus resistance genes and,  
   586–88
- Phytoplasmas  
   *Prunus* and *Vitis* testing  
   and certification, 261–72
- Pichia* spp.
- commercialization and  
   implementation of  
   biocontrol, 347  
   fungal speciation and, 290
- Pieris* spp.  
   hemipterans as plant  
   pathogens and, 500  
   signal crosstalk and  
   induced resistance, 557  
   sudden oak death  
   management and, 310
- Pigment production  
   secondary metabolism in  
   filamentous fungi and,  
   448
- Piper methysticum*  
   global food security and,  
   93
- Pisum sativum*  
   plant rhabdoviruses and,  
   629
- Pittosporum* spp.  
   sudden oak death  
   management and, 310
- Plantago lanceolata*  
   plant rhabdoviruses and,  
   629
- Plant-microbe interactions  
   lipids, lipases, and  
   lipid-modifying enzymes  
   in plant disease  
   resistance, 229–47
- Plasma membrane  
   localization  
   lipids, lipases, and  
   lipid-modifying enzymes  
   in plant disease  
   resistance, 235–36
- Plasmopara* spp.  
   global food security and,  
   94  
   health management for  
   ornamental plants and,  
   146
- Plectosphaerella cucumerina*  
   signal crosstalk and  
   induced resistance, 551

- Ploidy  
fungal speciation and, 287,  
292–93, 296–97
- Plus-strand RNA synthesis  
alfamovirus and ilarvirus  
replication, 50–51
- pod genes  
cotton resistance to  
*Xanthomonas campestris*  
pv. *malvacearum* and, 70,  
75
- Pogostemon patchouli*  
plant rhabdoviruses and,  
628
- Poly(A)-binding protein  
alfamovirus and ilarvirus  
replication, 39–57
- Polymerase chain reaction  
(PCR)  
*Prunus* and *Vitis* testing  
and certification, 261,  
268–69
- Polymerase protein  
plant rhabdoviruses and,  
643–44
- Polyploidy  
fungal speciation and, 287
- Polyporus sulphureus*  
global food security and,  
109
- Poplars  
hybrid  
fungal speciation and,  
291–92
- Population biology  
*Phytophthora infestans* at  
center of origin and,  
179–82
- Populus* spp.  
fungal speciation and,  
291–92  
plant rhabdoviruses and,  
629
- Positive-strand RNA virus  
alfamovirus and ilarvirus  
replication, 39–57
- Pospiviroidae*  
viroids and viroid-host  
interactions, 117–33
- Posttranscriptional gene  
silencing  
geminiviruses and, 385–86  
RNAi and, 191–200  
RNA silencing in  
productive virus  
infections and, 523
- Postzygotic reproductive  
barriers/isolation  
fungal speciation and,  
296–98
- Potato late blight  
*Phytophthora infestans* at  
center of origin and, 171
- Potato virus X  
RNAi and, 196, 198  
virus resistance genes and,  
598–99
- Potato virus Y  
RNAi and, 195, 197
- Potyviruses  
RNA silencing in  
productive virus  
infections and, 532–33
- P protein  
plant rhabdoviruses and,  
641–42
- PR genes  
hemipterans as plant  
pathogens and, 502, 505  
lipids, lipases, and  
lipid-modifying enzymes  
in plant disease  
resistance, 230–34  
signal crosstalk and  
induced resistance,  
557–59
- Pratylenchus* spp.  
global food security and,  
87  
health management for  
ornamental plants and,  
149
- Preformed defenses  
hemipterans as plant  
pathogens and, 493–94
- Prezygotic isolation  
fungal speciation and,  
289–91
- Processing pathways  
RNA silencing in  
productive virus  
infections and, 524
- Productive virus infections  
RNA silencing and, 523–39
- Programmed cell death  
defense against  
biotrophs/necrotrophs  
and, 205  
signal crosstalk and  
induced resistance, 545,  
548, 564–65
- Propagule dissemination  
fungal speciation and, 287
- Protea* spp.  
fungal speciation and, 288
- Proteasomes  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 424–25
- Protein kinases  
secondary metabolism in  
filamentous fungi and,  
444–45  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 422–23,  
425–26
- Protein perception  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 418
- Prunus* and *Vitis* testing and  
certification  
biological indexing,  
262–66  
conclusions, 271–72  
field indicators, 265–66  
graft indexing, 265  
grapevine, 263–65  
greenhouse indicators,  
265–66

- herbaceous hosts, 263, 265  
introduction, 261–62  
molecular assays, 266–69  
nucleic acid hybridization, 269  
nucleic-based assay, 268–69  
polymerase chain reaction, 268–69  
reverse-transcriptase polymerase chain reaction, 268–69  
serology, 266–68  
status of certification programs, 269–71  
stone fruits, 265–66  
woody indicators, 263–66
- Pseudocercospora herpotrichoides*  
global food security and, 102
- Pseudomonas* spp.  
commercialization and implementation of biocontrol, 342, 345, 348–49, 351–52  
cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 63  
defense against biotrophs/necrotrophs and, 205, 215–16  
global food security and, 88, 98, 104  
hemipterans as plant pathogens and, 496–97, 504, 507–8, 510  
lipids, lipases, and lipid-modifying enzymes in plant disease resistance, 231  
signal crosstalk and induced resistance, 550–52, 557
- Pseudoperonospora* spp.  
global food security and, 94
- Pseudorecombination  
geminiviruses and, 387–88
- Pseudotsuga* spp.  
sudden oak death management and, 310
- Pseudozyma flocculosa*  
commercialization and implementation of biocontrol, 343
- Pst* genes  
signal crosstalk and induced resistance, 557–58, 563
- PTGS pathway  
RNA silencing in productive virus infections and, 524–26
- pth* genes  
cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 66  
global food security and, 98
- Pti6* gene  
signal crosstalk and induced resistance, 559
- Puccinia* spp.  
global food security and, 87–88, 90–91, 102  
health management for ornamental plants and, 146
- Pyracantha* spp.  
sudden oak death management and, 310
- Pyrenophora* spp.  
global food security and, 87, 89, 91  
history of research, 16
- Pyricularia* spp.  
global food security and, 88, 93–94  
rice blast disease and, 11
- Pythium* spp.  
commercialization and implementation of biocontrol, 342, 344, 351
- global food security and, 94  
health management for ornamental plants and, 145  
history of research, 7, 29  
signal crosstalk and induced resistance, 551
- ## Q
- Quality control  
disease management and, 19
- Quelling  
RNAi and, 200
- Quercus agrifolia*  
sudden oak death management and, 309–29
- ## R
- Race-specific resistance  
lipids, lipases, and lipid-modifying enzymes in plant disease resistance, 229, 235–36
- Ralstonia solanacearum*  
global food security and, 89, 92, 97  
health management for ornamental plants and, 143, 145, 147–49  
signal crosstalk and induced resistance, 557
- Ranunculus repens*  
plant rhabdoviruses and, 629
- Raphanus* spp.  
plant rhabdoviruses and, 629
- RCY1* gene  
virus resistance genes and, 600–1
- rdc* genes  
signal crosstalk and induced resistance, 560
- Reactive oxygen species (ROS)



- hemipterans as plant pathogens and, 495, 505-6
- signal crosstalk and induced resistance, 564-65
- Xanthomonas campestris* pv. *malvacearum* and, 72
- Recessive genes
  - virus resistance genes and, 601-3
- Recognition specificity
  - tomato-*Cladosporium fulvum* molecular interactions and, 408-11
- Recombination
  - geminiviruses and, 387-88
- Recovery phenomena
  - RNA silencing in productive virus infections and, 537
- Redox
  - signal crosstalk and induced resistance, 548-49
- Registration
  - commercialization and implementation of biocontrol, 349-50
- Regulation
  - health management for ornamental plants and, 147-49
  - lipids, lipases, and lipid-modifying enzymes in plant disease resistance, 231-33
  - plant and pathogen, 19-20
- Replication
  - alfamovirus and ilarvirus replication, 39-57
  - RNA silencing in productive virus infections and, 529-30
  - viroids and viroid-host interactions, 117, 122-23
- Reproductive isolation
  - fungus speciation and, 279-302
- Residue management
  - history of research, 1
- Resistance gene analogs (RGAs)
  - cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 69, 76
- Restoration
  - sudden oak death management and, 327
- Reverse genetics
  - plant rhabdoviruses and, 654-55
- Reverse-transcriptase polymerase chain reaction (RT-PCR)
  - Prunus* and *Vitis* testing and certification, 261, 268-69
- R genes
  - cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 63-76
  - defense against biotrophs/necrotrophs and, 205
  - global food security and, 83-109
  - health management for ornamental plants and, 141, 149-50
  - hemipterans as plant pathogens and, 491, 494-97
  - history of research, 9, 15-16
  - lipids, lipases, and lipid-modifying enzymes in plant disease resistance, 229-47
  - Phytophthora infestans* at center of origin and, 171-74, 178-81
- RNAi and, 191-200
- signal crosstalk and induced resistance, 545-67
- sudden oak death management and, 316-17
- tomato-*Cladosporium fulvum* molecular interactions and, 402, 414-15
- virus resistance genes and, 581-609
- rgsA gene
  - secondary metabolism in filamentous fungi and, 445-46
- rgs-Cam protein
  - RNA silencing in productive virus infections and, 535
- RGS protein
  - secondary metabolism in filamentous fungi and, 437, 443-46
- Rhabdoviruses
  - plant
    - ancillary proteins, 644-46
    - biology, 630-33
    - classification, 633-37
    - cytopathology, 647-50
    - encoded proteins, 639-46, 650
    - future research, 652-55
    - genome organization, 637-46
    - G protein, 642-43
    - host gene expression, 650-52
    - infection processes, 647-50
    - introduction, 623-30
    - L protein, 643-44
    - morphology, 637-38
    - M protein, 642
    - nomenclature, 633-37

- N protein, 640–41  
 particle structure, 637–46  
 pathology, 630–33, 647–50  
 P protein, 641–42  
 sequence variation among field isolates, 646–47  
 vector relationships, 630–33  
 virion, 637–38
- Rhamnus* spp.  
 sudden oak death management and, 310
- Rhizoctonia solan*  
 aggregate sheath spot and, 10  
 commercialization and implementation of biocontrol, 340–42, 350–51  
 global food security and, 89–91  
 health management for ornamental plants and, 145  
 history of research, 35  
 stem rot and, 9
- Rhizopus* spp.  
 commercialization and implementation of biocontrol, 351
- Rhodococcus fascians*  
 health management for ornamental plants and, 146
- Rhododendron* spp.  
 sudden oak death management and, 310, 328
- Rhynchosporium secalis*  
 global food security and, 87, 90  
 history of research, 1, 15–16
- Ribautodelphax notabilis*  
 plant rhabdoviruses and, 632
- Ribes nigrum*  
 plant rhabdoviruses and, 626
- Ribozymes  
 viroids and viroid-host interactions, 117, 123–25
- Rice blast disease  
 history of research, 11–12, 14
- Rice seedling disease  
 history of research, 7–8
- Rice stem rot  
 history of research, 7–10, 14
- Rme1* gene  
 hemipterans as plant pathogens and, 496–97
- RNA cleavage  
 viroids and viroid-host interactions, 123–25
- RNAi (RNA interference, RNA silencing)  
 biochemistry, 197  
 biology, 198–200  
 coat protein-mediated resistance, 192  
 cosuppression, 193, 195–97  
 immunity, 193–94  
 induction, 198  
 introduction, 191–92  
 nontransgenic plants, 198  
 pathogen-derived resistance, 192–97, 200  
 plant viruses, 198–200  
 retrospective, 200  
 RNA degradation, 195–97  
 summary, 200  
 suppressors, 198–200  
 symptoms of virus disease, 199–200  
 tobacco etch virus, 193–95  
 transgenic plants, 193–97  
 triggering, 199
- RNA-mediated virus resistance  
 RNAi and, 191–200
- RNA polymerization  
 viroids and viroid-host interactions, 123–25
- RNA profiles  
 hemipterans as plant pathogens and, 498–99
- RNAse III-like enzymes  
 RNAi and, 199
- RNA silencing (RNAi, RNA interference)  
 productive virus infections and  
 2b, 534  
 attack, 530–32  
 CP, 533–34  
 cross-protection, 536–37  
 cytomegalovirus, 534  
 dark green islands, 537  
 defense, 530–32  
 encoding, 532–36  
 introduction, 523–24  
 microRNA pathway, 526–27  
 mixed infections, 536  
 overview, 537–38  
 P1-HcPro, 532–33  
 p19, 533  
 p20, 533–34  
 p23, 533–34  
 p58<sup>IPK</sup>, 535–36  
 p69, 534–35  
 perspective, 538–39  
 potyviruses, 532–33  
 processing pathways, 524  
 PTGS pathway, 524–26  
 recovery phenomena, 537  
 replicating RNAs, 529–30  
 rgs-Cam, 535  
 signaling, 527–28  
 small RNAs, 524  
 suppressors, 530  
 synergy, 536

- tombusviruses, 533  
 turnip yellow mosaic virus, 534-35  
 viroids and viroid-host interactions, 117  
 RNA viruses  
   alfamovirus and ilarvirus replication, 39-57  
 Rodenticides  
   commercialization and implementation of biocontrol, 349  
 Rolling-circle replication  
   viroids and viroid-host interactions, 117, 122-23  
 Root rot  
   history of research, 35-36  
*Rosa* spp.  
   sudden oak death management and, 310  
*Rosellinia* spp.  
   commercialization and implementation of biocontrol, 345  
   global food security and, 91  
 Rotation  
   crop  
     global food security and, 85  
*Rubus* spp.  
   plant rhabdoviruses and, 629  
   sudden oak death management and, 310  
 Rust  
   hybrid  
     fungal speciation and, 291-92  
*Rx1/Rx2* genes  
   virus resistance genes and, 598-99
- S**  
*Saccharomyces cerevisiae*  
   fungal speciation and, 281, 283, 286, 294-97, 300  
*Saintpaulia ionantha*  
   plant rhabdoviruses and, 629  
 Salicylic acid  
   cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 70-72  
   defense against  
     biotrophs/necrotrophs and, 205, 209-12  
     signal crosstalk and induced resistance, 545, 547-53, 556-67  
 Salinity  
   signal crosstalk and induced resistance, 545, 564  
*Salix* spp.  
   signal crosstalk and induced resistance, 556  
   sudden oak death management and, 310  
*Sambucus* spp.  
   plant rhabdoviruses and, 629  
 Sanitation  
   health management for ornamental plants and, 141, 144-45  
 Saprotrophs  
   fungal speciation and, 279-302  
*Sarracenia purpurea*  
   plant rhabdoviruses and, 629  
 Satellite DNA  
   geminiviruses and, 361, 382-85  
 Satellite RNA  
   commercialization and implementation of biocontrol, 346  
*Schizaphis graminum*  
   hemipterans as plant pathogens and, 501  
*Schizosaccharomyces pombe*  
   fungal speciation and, 294  
*Scirtothrips dorsalis*  
   tospovirus-thrips interactions and, 461  
*Sclerophthora* spp.  
   global food security and, 94  
*Sclerospora* spp.  
   global food security and, 87-88, 94  
*Sclerotinia* spp.  
   health management for ornamental plants and, 146, 342, 346  
*Sclerotium* spp.  
   hemipterans as plant pathogens and, 507  
   history of research, 8-9  
 Screening  
   commercialization and implementation of biocontrol, 344-45  
 Seeds  
   health management for ornamental plants and, 146-47  
   history of research, 25, 28  
 Selection pressures  
   fungal speciation and, 279-302  
 Semicommercial testing  
   commercialization and implementation of biocontrol, 352  
*Septoria* spp.  
   commercialization and implementation of biocontrol, 352  
 Sequence diversity  
   plant rhabdoviruses and, 646-47  
   tomato-*Cladosporium fulvum* molecular interactions and, 412  
*Sequoia* spp.  
   sudden oak death management and, 310

- Serology  
*Prunus* and *Vitis* testing  
 and certification, 266–68  
*Serpula lacrymans*  
 fungal speciation and, 288  
*Serratia plymuthica*  
 commercialization and  
 implementation of  
 biocontrol, 346  
 Sesquiterpenoid phytoalexins  
 cotton resistance to  
*Xanthomonas campestris*  
 pv. *malvacearum* and,  
 72–75  
*Setaria italica*  
 global food security and,  
 88  
*Setosphaeria turcica*  
 global food security and,  
 87, 90  
 Sexual development genes  
 secondary metabolism in  
 filamentous fungi and,  
 447–48  
*SGT1* gene  
 hemipterans as plant  
 pathogens and, 496–97  
 Shiitake mushrooms  
 fungal speciation and, 289  
 Short-range dispersal  
 fungal speciation and, 289  
*sid* genes  
 hemipterans as plant  
 pathogens and, 503  
 signal crosstalk and  
 induced resistance,  
 547–48  
 Signaling  
 cotton resistance to  
*Xanthomonas campestris*  
 pv. *malvacearum* and, 63  
 defense against  
 biotrophs/necrotrophs  
 and, 205  
 hemipterans as plant  
 pathogens and, 491,  
 503–6, 510  
 lipids, lipases, and  
 lipid-modifying enzymes  
 in plant disease  
 resistance, 229, 237–43  
 RNA silencing in  
 productive virus  
 infections and, 523,  
 527–28  
 secondary metabolism in  
 filamentous fungi and,  
 442–50  
 signal crosstalk and  
 induced resistance, 545  
 tomato-*Cladosporium*  
*fulvum* molecular  
 interactions and, 421–22  
*Silene* spp.  
 fungal speciation and, 301  
 siRNAs  
 viroids and viroid-host  
 interactions, 130–32  
 Small RNAs  
 RNA silencing in  
 productive virus  
 infections and, 524  
*Smilacina* spp.  
 sudden oak death  
 management and, 310  
 Soilborne plant pathogens  
 history of research, 25,  
 27–28, 32–37  
 Soilless mixes  
 health management for  
 ornamental plants and,  
 151–52  
 Soil salinity  
 signal crosstalk and  
 induced resistance, 545,  
 564  
*Solanum* spp.  
 hemipterans as plant  
 pathogens and, 493  
*Phytophthora infestans* at  
 center of origin and,  
 171–72, 174–78, 185  
 virus resistance genes and,  
 597, 599–600  
 Solvent-exposed amino acids  
 tomato-*Cladosporium*  
*fulvum* molecular  
 interactions and, 411–12  
*Sonchus oleraceus*  
 plant rhabdoviruses and,  
 625, 648  
*Sorghum* spp.  
 hemipterans as plant  
 pathogens and, 501  
 plant rhabdoviruses and,  
 629  
 Spatial distribution  
 sudden oak death  
 management and, 315–16  
 Specialists  
 fungal speciation and,  
 279–302  
 Speciation  
 fungal speciation and,  
 279–302  
*Phytophthora infestans* at  
 center of origin and,  
 171–72, 183–85  
 Specificity  
 tomato-*Cladosporium*  
*fulvum* molecular  
 interactions and, 408–11  
 viroids and viroid-host  
 interactions, 120–21,  
 130–32  
*Spaceloma batatas*  
 global food security and,  
 91  
*Sphaerotheca pannosa*  
 health management for  
 ornamental plants and,  
 149, 151  
 Sphingolipids  
 lipids, lipases, and  
 lipid-modifying enzymes  
 in plant disease  
 resistance, 229, 231–32  
*Spiroplasma kunkelii*  
 global food security and,  
 88  
*Spodoptera* spp.

- hemipterans as plant  
pathogens and, 500–2  
signal crosstalk and  
induced resistance, 555
- Spores  
fungal speciation and, 287  
sudden oak death  
management and, 317–18
- spr2* gene  
signal crosstalk and  
induced resistance, 555
- ssi2* gene  
signal crosstalk and  
induced resistance, 560
- Stand manipulation  
sudden oak death  
management and, 324–25
- Stem rot  
history of research, 7–10,  
14
- Sterigmatocystin  
secondary metabolism in  
filamentous fungi and,  
437–39, 443–44, 446–48
- Stone fruits  
*Prunus* and *Vitis* testing  
and certification, 261–72
- Streptomyces* spp.  
commercialization and  
implementation of  
biocontrol, 343, 348, 352  
global food security and,  
89, 99
- Stress response  
signal crosstalk and  
induced resistance,  
545–67
- Striga* spp.  
global food security and,  
95, 104
- Structure-function analysis  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 397
- Subcellular localization  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 417–18
- Sudden oak death  
health management for  
ornamental plants and,  
142–43, 147–48
- Superoxide dismutase (SOD)  
cotton resistance to  
*Xanthomonas campestris*  
pv. *malvacearum* and, 70
- Suppressors  
RNAi and, 198–200  
RNA silencing in  
productive virus  
infections and, 523,  
529–30  
signal crosstalk and  
induced resistance, 559
- Survival patterns  
sudden oak death  
management and, 317–18
- Susceptibility  
signal crosstalk and  
induced resistance,  
562–65
- Sustainable crop production  
systems  
history of research, 18
- Sw-5* gene  
virus resistance genes and,  
599–600
- Symmetric pathways  
viroids and viroid-host  
interactions, 122–23
- Sympatric speciation  
fungal speciation and, 280,  
282, 289–91  
*Phytophthora infestans* at  
center of origin and,  
171–72
- Synergy  
RNA silencing in  
productive virus  
infections and, 523, 536
- Syntaxins  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and, 423
- Syntenry  
fungal speciation and,  
279–302
- Synthetic *R* genes  
tomato-*Cladosporium*  
*fulvum* molecular  
interactions and,  
414–15
- Syringa* spp.  
sudden oak death  
management and, 310
- Systemic acquired resistance  
(SAR)  
commercialization and  
implementation of  
biocontrol, 351  
cotton resistance to  
*Xanthomonas campestris*  
pv. *malvacearum* and,  
71–72  
lipids, lipases, and  
lipid-modifying enzymes  
in plant disease  
resistance, 229, 246–47  
signal crosstalk and  
induced resistance,  
547–49
- Systemic signaling  
signal crosstalk and  
induced resistance,  
546–53, 562–65
- ## T
- Tapesia yallundae*  
global food security and,  
90
- TaqMan fluorescent probe  
*Prunus* and *Vitis* testing  
and certification, 269
- Taxus* spp.  
sudden oak death  
management and, 310
- T-cms* gene  
global food security and,  
108
- Technology transfer  
commercialization and

- implementation of
  - biocontrol, 350–52
- tefl* gene
  - fungal speciation and, 292
- Temperature extremes
  - signal crosstalk and
    - induced resistance, 545
- Tetranychus urticae*
  - hemipterans as plant
    - pathogens and, 500, 502
- Thaxtomycin A
  - global food security and,
    - 99
- Thielaviopsis basicola*
  - health management for
    - ornamental plants and,
      - 144
- Thiobenzazole
  - commercialization and
    - implementation of
      - biocontrol, 352
- Thioredoxin
  - tomato-*Cladosporium fulvum* molecular
    - interactions and, 421
- Thrips
  - tospovirus-thrips
    - interactions and, 459–80
- Thymus* spp.
  - plant rhabdoviruses and,
    - 628
- Thunbergia alata*
  - plant rhabdoviruses and,
    - 625
- Thyphlodromips swerskii*
  - hemipterans as plant
    - pathogens and, 507
- Thysanoptera* spp.
  - tospovirus-thrips
    - interactions and, 459–80
- Tilletia* spp.
  - kernel smut and, 10
- Tm2<sup>2</sup>* gene
  - virus resistance genes and,
    - 600
- Tobacco etch virus
  - RNAi and, 191–200
- Tobacco mosaic virus
  - RNAi and, 192, 198
  - virus resistance genes and,
    - 596–98
- Tobacco rattle virus
  - global food security and,
    - 95
- Tobacco ringspot virus
  - Prunus* and *Vitis* testing
    - and certification, 268
- Tomato black ring virus
  - RNAi and, 198
- Tomato-*Cladosporium fulvum* molecular
  - interactions and
    - ACIK1 protein kinase,
      - 425–26
    - activation, 397–99, 423
    - Avr-9*, 418–22
    - avr* genes, 397–98, 418
    - Cf-2/Cf-5*, 400–2, 408–9,
      - 413, 415–17
    - Cf-4/Cf-9*, 415
    - Cf-9*, 418–22
    - Cf-9/Cf-4/Cf-1* (*Milky Way*)
      - locus, 400–2, 409–11,
        - 413–14
    - Cf* genes, 399–25
    - C. fulvum*-secreted
      - proteins, 397–99
    - cloning, 398–99
    - compatible interactions,
      - 396
    - conclusions, 426–27
    - C-terminus of *Cf-9*, 421
    - domains A and B, 404
    - domains C1, C2, and C3,
      - 405
    - domains D, E, F, and G,
      - 405–7
    - early signaling events,
      - 421–22
    - encoding, 411–12
    - extracellular proteins,
      - 397–99
    - gene evolution, 411–15
    - gene expression, 423–25
    - gene function assay,
      - 398–99
    - genetic dissection,
      - 415–17
    - glycosylation, 407–8
    - Hcr9*, 402, 414–15
    - hypervariability, 411–12
    - incompatible interactions,
      - 397
    - intragenic sequence
      - exchange, 412
    - introduction, 395–96
    - introgression, 399–400
    - leucine-rich repeats, 402
    - membrane-associated Cf
      - protein complexes,
        - 419–21
    - mutations, 415–17
    - N-terminal LRRs, 411–12
    - paralogs, 412
    - phospholipase C, 423
    - phosphorylation, 423
    - protein function, 418
    - protein kinases, 422–23,
      - 425–26
    - protein perception, 418
    - recognition specificity,
      - 408–11
    - resistance genes, 402
    - sequence diversity, 412
    - short arm of chromosome
      - 1, 402
    - solvent-exposed amino
      - acids, 411–12
    - stimulation, 422–23
    - structure-function analysis,
      - 397
    - subcellular localization,
      - 417–18
    - syntaxis, 423
    - synthetic *R* genes, 414–15
    - thioredoxin, 421
    - type 1 transmembrane
      - leucine-rich repeat
        - glycoproteins, 402–8
    - ubiquitin-proteasome
      - pathway, 424–25

- unequal crossing over, 413–14
- Tomato mosaic virus
  - virus resistance genes and, 600
- Tomato spotted wilt virus
  - tospovirus-thrips interactions and, 459–80
  - virus resistance genes and, 599–600
- Tombusviruses
  - RNA silencing in productive virus infections and, 533
- Topocuvirus* genus
  - geminiviruses and, 370
- Tospovirus-thrips interactions
  - coevolution, 464–65
  - conclusions, 479–80
  - feeding behavior, 466
  - fusion protein, 477
  - introduction, 459–60
  - life cycle, 466
  - membrane glycoproteins, 473–77
  - models for virus movement in thrips, 468–69
  - overview, 466–72
  - pathogen, 471–72
  - receptor, 477–78
  - reproductive strategies, 466
  - stage-dependent acquisition of tospovirus, 469–71
  - tomato spotted wilt virus, 471–79
  - tospoviruses, 460–64
  - virus binding, 476–77
  - virus dissemination and replication in vector thrips, 466–68
  - virus entry, 472–77
- Toxicodendron* spp.
  - sudden oak death management and, 310
- Toxoptera aurantii*
  - hemipterans as plant pathogens and, 506
- trans*-acting functions
  - alfamovirus and ilarvirus replication, 51–52
- Transcriptional gene silencing
  - geminiviruses and, 386
  - RNA silencing in productive virus infections and, 523, 527
- Transcriptional regulation
  - secondary metabolism in filamentous fungi and, 437, 440–42
- Transgenes
  - global food security and, 83–109
  - RNAi and, 191–200
- Trialeurodes vaporariorum*
  - hemipterans as plant pathogens and, 507
- Trichoderma* spp.
  - commercialization and implementation of biocontrol, 338, 343, 346–47, 349–52
  - history of research, 35
  - secondary metabolism in filamentous fungi and, 439
- Trichoplusia* spp.
  - hemipterans as plant pathogens and, 501–2
  - signal crosstalk and induced resistance, 557
- Trichothecium* spp.
  - secondary metabolism in filamentous fungi and, 439
- Trichovirus* genus
  - Prunus* and *Vitis* testing and certification, 265, 267
- Tricothecenes
  - secondary metabolism in filamentous fungi and, 439
- Trientalis* spp.
  - sudden oak death management and, 310
- Trifolium* spp.
  - plant rhabdoviruses and, 625–26, 629
- Triggering
  - RNAi and, 199
- Triphenyl tin hydroxide (TPTH)
  - stem rot and, 10
- Triticum* spp.
  - global food security and, 91
  - plant rhabdoviruses and, 629
- Tropaeum majus*
  - plant rhabdoviruses and, 628
- tub2* gene
  - fungal speciation and, 292
- Tuber blight
  - Phytophthora infestans* at center of origin and, 173
- Tupiocoris notatus*
  - hemipterans as plant pathogens and, 501–2, 507
- Turnip crinkle virus
  - virus resistance genes and, 600
- Turnip yellow mosaic virus
  - RNA silencing in productive virus infections and, 534–35
- txtAB* gene
  - global food security and, 99
- Tylenchorhynchus claytoni*
  - health management for ornamental plants and, 149
- Tymoviridae*
  - Prunus* and *Vitis* testing and certification, 263
- Type I transmembrane
  - leucine-rich repeat glycoproteins
  - tomato-*Cladosporium*

- fulvum* molecular interactions and, 402–8
- U**
- Ubiquitin-proteasome pathway  
tomato-*Cladosporium fulvum* molecular interactions and, 424–25
- Ulocladium atrum*  
commercialization and implementation of biocontrol, 348, 352
- Ultrastructure  
viroids and viroid-host interactions, 121
- Umbellaria* spp.  
sudden oak death management and, 310
- Unequal crossing over  
tomato-*Cladosporium fulvum* molecular interactions and, 413–14
- Unsaturated fatty acids  
lipids, lipases, and lipid-modifying enzymes in plant disease resistance, 238
- Upstream signaling mechanisms  
secondary metabolism in filamentous fungi and, 442–50
- Uroleucon sonchi*  
plant rhabdoviruses and, 632
- Uromyces* spp.  
global food security and, 87–89
- Ustilago* spp.  
global food security and, 87–89, 91
- V**
- Vaccines  
plant rhabdoviruses and, 654
- Vaccinium* spp.  
sudden oak death management and, 310, 328
- Vectors  
geminiviruses and, 361  
plant rhabdoviruses and, 630–33, 654  
tospovirus-thrips interactions and, 459–80
- Venturia inequalis*  
commercialization and implementation of biocontrol, 344  
health management for ornamental plants and, 149
- Vertebrates  
plant rhabdoviruses and, 623–55
- Vertical transmission  
fungal speciation and, 292–93
- Verticillium dahliae*  
commercialization and implementation of biocontrol, 344, 346  
cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 74  
history of research, 2
- Vesiculovirus* genus  
plant rhabdoviruses and, 634
- Viburnum* spp.  
sudden oak death management and, 310
- Vicariance  
fungal speciation and, 279–302
- Vicia faba*  
plant rhabdoviruses and, 626
- Vigna* spp.  
plant rhabdoviruses and, 590, 629
- Virions  
plant rhabdoviruses and, 633, 636–38
- Viroids  
*Prunus* and *Vitis* testing and certification, 269, 271  
viroid-host interactions and asymmetric pathways, 122–23  
biology, 120–22  
cell-to-cell movement, 127  
circular RNA templates, 122  
conclusions, 132–33  
cross-protection, 121–22  
effectors, 128–30  
families, 118–20  
genera, 118–20  
host range, 120–21  
host specificity, 120–21  
intracellular movement, 125–26  
introduction, 117–18  
long-distance movement, 127–28  
mature viroid RNA, 128–30  
oligomeric RNA templates, 122  
pathogenesis, 128–32  
perspectives, 132–33  
ribozymes, 123–25  
RNA cleavage, 123–25  
RNA ligation, 123–25  
RNA polymerization, 123–25  
species, 118–20  
specific siRNAs, 130–32  
symmetric pathways, 122–23  
symptoms, 121  
taxonomy, 118–20  
ultrastructural effects, 121



- Viroplasms  
 plant rhabdoviruses and, 647
- Virulence  
 global food security and, 83–109  
 history of research, 16
- Viruses  
 alfamovirus and ilarvirus replication, 39–57  
 commercialization and implementation of biocontrol, 337, 346–47  
 geminiviruses and, 361–89  
 global food security and, 86  
 plant rhabdoviruses and, 623–52  
*Prunus* and *Vitis* testing and certification, 261–72  
 RNAi and, 191–200  
 RNA silencing in productive virus infections and, 523–39  
 tospovirus-thrips interactions and, 459–80
- Virus indexing  
 health management for ornamental plants and, 146
- Virus resistance genes  
*Arabidopsis*, 600–1  
 avirulence genes, 603–6  
 cell-to-cell movement, 592–94  
 cellular resistance, 590–92  
 coevolution, 603–6  
 conclusions, 607–9  
 cucumber mosaic virus, 600–1  
 dominant plant virus resistance genes, 596–98  
 durable resistance, 606–7  
 HRT, 600  
 introduction, 581–82  
 long-distance movement, 594–96  
 natural resistance mechanisms, 583–96  
*N* gene, 596–98  
 potato virus X, 598–99  
 prospects, 607–9  
*RCY1*, 600–1  
 recessive plant virus resistance genes, 601–3  
*Rx1/Rx2*, 598–99  
*Sw-5*, 599, 600  
*Tm2<sup>2</sup>*, 600  
 tobacco mosaic virus, 596–98  
 tomato mosaic virus, 600  
 tomato spotted wilt virus, 599–600  
 turnip crinkle virus, 600  
 types of resistance, 582–83  
 virus resistance breeding, 606–7  
 within-cell movement, 592–94
- Vitis* spp.  
*Prunus* and *Vitis* testing and certification, 261–72
- Vitivirus* genus  
*Prunus* and *Vitis* testing and certification, 263, 267
- Volatiles  
 hemipterans as plant pathogens and, 504–10
- vtc* genes  
 signal crosstalk and induced resistance, 549
- W**
- Water management  
 health management for ornamental plants and, 152
- Waxes  
 plant surface lipids, lipases, and lipid-modifying enzymes in plant disease resistance, 231
- Webster RK, 1–22
- Whiteflies  
 hemipterans as plant pathogens and, 492–93
- Whole-genome duplication  
 fungal speciation and, 294–96
- Within-cell movement  
 virus resistance genes and, 592–94
- Woody indicators  
*Prunus* and *Vitis* testing and certification, 263–66
- Wound responses  
 hemipterans as plant pathogens and, 499, 502  
 signal crosstalk and induced resistance, 554–56
- X**
- Xac* genes  
 cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 65–66
- Xanthomonas campestris* pv. *malvacearum*  
 cotton resistance to *avr* genes, 64–65  
 cell phenotype, 70  
 conclusions, 75–76  
 future prospects, 75–76  
 gene-for-gene concept, 64–66  
 genomics, 65–66  
 hormone production, 71–72  
 hypersensitive response, 70–75  
 introduction, 63–64  
 lipoxygenase pathway, 71  
 mapping blight resistance genes, 67–68

- miscellaneous defense responses, 75
  - molecular nature of disease resistance genes, 68–69
  - oxidative burst, 70
  - resistance gene analogs, 69
  - resistant cotton genotypes, 66–67
  - sesquiterpenoid phytoalexins, 72–75
  - Xanthomonas* spp.
    - global food security and, 87, 89–90, 92, 98, 100, 105–6
    - health management for
    - ornamental plants and, 146
    - signal crosstalk and induced resistance, 550, 559
  - Xcc* genes
    - cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 65–66
  - Xcm* genes
    - cotton resistance to *Xanthomonas campestris* pv. *malvacearum* and, 63–76
  - Xylella fastidiosa*
    - global food security and, 96
- Y**
- Yarrowia lipolytica*
    - fungal speciation and, 295
- Yeasts**
- commercialization and implementation of biocontrol, 344, 346, 351–52
  - fungal speciation and, 281, 283, 286, 294–97, 300
  - plant rhabdoviruses and, 653
- Z**
- Zea mays*
    - plant rhabdoviruses and, 627–28

